

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
12 July 2001 (12.07.2001)

PCT

(10) International Publication Number
WO 01/49832 A2

- (51) International Patent Classification⁷: C12N 9/00 (81) Designated States (*national*): AE, AG, AL, AM, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CN, CR, CU, CZ, DM, DZ, EE, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, RO, RU, SD, SG, SI, SK, SL, TJ, TM, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (21) International Application Number: PCT/EP01/00060
- (22) International Filing Date: 5 January 2001 (05.01.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
00100351.6 7 January 2000 (07.01.2000) EP
00124595.0 10 November 2000 (10.11.2000) EP
- (84) Designated States (*regional*): ARIPO patent (GI, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant: ARTEMIS PHARMACEUTICALS GMBH
[DE/DE]; Neurather Ring 1, 51063 Köln (DE).
- (72) Inventor: SCHWENK, Frieder; Kuseler Strasse 4, 50739 Köln (DE).
- (74) Agents: HELBING, Jörg et al.; Von Kreisler Selting Werner, Postfach 10 22 41, 50462 Köln (DE).
- Published:
— Without international search report and to be republished upon receipt of that report.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/49832 A2

(54) Title: TRANSDUCTION OF RECOMBINASES FOR INDUCIBLE GENE TARGETING

(57) Abstract: The present invention provides the use of a fusion protein comprising a site-specific DNA recombinase domain and a protein transduction domain for preparing an agent for inducing target gene alteration in a living organism or in cultured cells, suitable fusion proteins and a method for the production of said fusion proteins.

Transduction of recombinases for inducible gene targeting

The present invention provides the use of a fusion protein comprising a site-specific DNA recombinase domain and a protein transduction domain for preparing an agent for inducing target gene alteration in a living organism or in cultured cells, suitable fusion proteins and a method for the production of said fusion proteins.

Background

For some years targeted mutagenesis in totipotent mouse embryonic stem (ES) cells has been used to inactivate genes, for which cloned sequences were available (Capecchi, Trends in Genetics 5, 70 - 76 (1989)). Since ES cells can pass mutations induced *in vitro* to transgenic offspring *in vivo*, it is possible to analyze the consequences of gene disruption in the context of the entire organism. Thus, numerous mouse strains with functionally inactivated genes ("knock out mice") have been created by this technology and utilized to study the biological function of a variety of genes.

A refined method of targeted mutagenesis, referred to as conditional mutagenesis, employs a site-specific recombination system (e.g. Cre/loxP or Flp/frt - Sauer and Henderson, N. Proc. Natl. Acad. Sci. USA 85, 5166-5170 (1988); Senecoff et al., J. Mol. Biol., 201, 405 - 421 (1988)) which enables a temporally and/or spatially restricted alteration of target genes (Rajewsky et al., J. Clin. Invest., 98, 600 - 603 (1996)). The creation of conditional mouse mutants requires the generation of two mouse strains, i.e. the recombinase recognition strain and the recombinase expressing strain. The recombinase recognition strain is generated by homologous recombination in ES cells as described above except that the targeted

exon(s) is (are) flanked by two recombinase recognition sequences (hereinafter "RRS"; e.g. loxP or *frt*). The type of recombination event mediated by the recombinase depends on the disposition of the RRS, with deletions, inversions, translocations and integrations being possible (Torres and Kühn, Oxford University Press, Oxford, New York (1997)). By placing the RRS into introns, an interference with gene expression before recombination can be avoided. The recombinase expressing strain contains a recombinase transgene (e.g. Cre, Flp) whose expression is either restricted to certain cells and tissues or is inducible by external agents. Crossing of the recombinase recognition strain with the recombinase expressing strain recombines the RRS-flanked exons from the doubly transgenic offspring in a prespecified temporally and/or spatially restricted manner. Thus, the method allows the temporal analysis of gene function in particular cells and tissues of otherwise widely expressed genes. Moreover, it enables the analysis of gene function in the adult organism by circumventing embryonic lethality which is frequently the consequence of gene mutation. For pharmaceutical research, aiming to validate the utility of genes and their products as targets for drug development, inducible mutations provide an excellent genetic tool. However, the current systems for inducible recombinase expression in transgenic animals suffer from a certain degree of leakiness in the absence of the inducer (Kühn et al., *Science* 269(5229):1427-9 (1995); Schwenk et al., *Nucleic Acids Res.*; 26(6):1427-32 (1998)). Furthermore, the generation of conditional mutants is a time consuming and labor intensive procedure, since the recombinase recognition strain and the recombinase expressing strain have to be bred at least over two generations in order to obtain animals carrying both, the recombinase transgene and two copies of the RRS-flanked target gene sequence.

Protein transduction domains (hereinafter shortly referred to as "PTD") that have the ability to cross cell membranes were identified, e.g. in the

Antennapedia protein from *Drosophila* (Vives et al., J. Biol. Chem., 272(25):16010-7 (1997)), Kaposi fibroblast growth factor (Kaposi FGF; Lin et al., J. Biol. Chem. 270: 14255-58 (1995)), VP22 from HSV (Elliott and O'Hare, Cell, 88(2):223-33 (1997)) and TAT from HIV (Green and Loewenstein, Cell, 55(6):1179-88 (1988); Frankel and Pabo, Cell, 55(6):1189-93 (1988)). WO 99/29721 moreover mentions TAT mutants having an enhanced activity as compared to the wild-type peptide.

Fusion of PTDs to heterologous proteins conferred the ability to transduce into cultured cells (Fawell et al., Proc. Natl. Acad. Sci. USA, 91(2):664-8 (1994); Elliott and O'Hare (1997), Phelan et al., Nature Biotech. 16; 440-443 (1998) and Dilber et al., Gene Ther., 6(1):12-21 (1999)). Dalby and Bennett showed that a fusion protein consisting of VP22 and functional Flp recombinase translocated between cells in culture (from COS-1 cells transfected with VP22-Flp to CHO cells carrying Flp recognition sites (FRT sites); see Dalby and Bennett, Invitrogen, Expressions 6.2, page 13 (1999)). Further WO 99/11809 mentions a fusion protein Antp-Cre and emphasizes that it may be used to deliver the Cre into the cell which recombines inside the cell nucleus. It is mentioned that the fusion protein is suitable for manipulating genomic DNA at precise locations in a temporal regulated manner.

Furthermore, a recent report demonstrated that the β -galactosidase protein fused to the 11 amino acids PTD from the HIV TAT protein can infiltrate all tissues of living mice reaching every single cell (Schwarze et al., Science, 285(5433):1569-72 (1999)). Finally, WO 99/60142 discloses vector constructs for gene therapy carrying a tumor cell sensitizing gene, a sensitizing gene expression regulatory system, a control gene and a control gene expression regulatory system, wherein the control gene can be a fusion gene consisting of a recombinase (viz. Cre or Flp) and a trafficking protein (viz. VP22).

With regard to the fusion protein Antp-Cre of WO 99/11809, it is however, general knowledge in the art that the Antennapedia PTD is not a generally applicable transducing protein, namely it has only a limited activity with proteins having more than 100 amino acid residues (Derossi et al., Trends Cell Biol. 8: 84-87, 1998). In view of the limited transducing activity of the Antp PTD and the size of the generally known recombinases (ranging from about 200 to about 600 amino acid residues), it was desirable to provide a more potent system for the transduction of recombinases. It was, however, not clear for a person skilled in the art whether PTDs would be effective at all with recombinases for the following reasons:

- (i) only a single example of PTD-mediated delivery of proteins (above 100 amino acid residues) *in vivo* has been reported so far (Schwarze et al., Science, 285(5433):1569-72 (1999); Fawell et al., PNAS, 91: 664-68 (1994); both references describing the TAT-mediated transduction of β -galactosidase in mice);
- (ii) It is known that - due to defolding and refolding processes - the transduction of native proteins into cells may result in a significant loss of protein activity (e.g., as described for TAT-GFP; Schwarze et al, Trends Cell Biol. 10: 290-95 (2000));
- (iii) neither the number of protein molecules that can be transferred into a cell by a given translocation domain has been systematically determined, nor the number of Cre molecules in the cell nucleus that is required for efficient recombination;
- (iv) the delivery of active proteins requires unfolding- and proper refolding which is unpredictable for a given protein (Bonifaci et al., AIDS 9: 995-1000 1995); and
- (v) the mechanism by which protein transduction domains facilitate protein transduction is unknown and several findings have been published that rule out classical receptor-, transporter-, endosome- or endocytosis-mediated processes in the transduction of Ant, TAT and VP22 (G. Elliott, P. O'Hare, Cell 88, 223-233 (1997); D.A. Mann, A.D. Frankel, EMBO. J. 10,

1733-1739 (1991); D. Derossi et al., J. Biol. Chem. 269, 10444-10450 (1994); D. Derossi et al., J. Biol. Chem. 271, 18188-18193 (1996); E. Vives et al., J. Biol. Chem. 272, 16010-16017 (1997)).

Moreover, there was still the need for a generally applicable method where the genetic manipulation can be performed in both, endogenous genes and transgenes.

Summary of the Invention

It was found that site-specific DNA recombinase proteins can be translocated into cells of a living organism when fused to specific protein transduction domains, namely transduction domains being derived from the VP22 protein of HSV or from the TAT protein of HIV. Thus, whenever a gene mutation is desired, recombination is induced upon the injection of the appropriate site-specific recombinase fused to a transduction domain into such a living organism (provided, however, that said organism carries at least one appropriate RRS integrated in the genome).

The present invention thus provides

- (1) the use of a fusion protein comprising
 - (a) a site-specific DNA recombinase domain and
 - (b) a protein transduction domain (PTD)

for preparing an agent for inducing target gene alterations in a living organism or cell culture, wherein said living organism carries at least one or more recognition sites for said site-specific DNA recombinase integrated in its genome;

- (2) a method for inducing gene alterations in a living organism which comprises administering to said living organism a fusion protein comprising a site-specific DNA recombinase domain and a PTD as defined in (1) above, wherein said living organism carries at least one or more

recognition sites for said site-specific DNA recombinase integrated in its genome;

(3) a fusion protein comprising

(a) a site-specific DNA recombinase domain and

(b) a PTD being derived from the VP22 protein of HSV or from the TAT protein of HIV

provided that when the site-specific DNA recombinase domain is wild-type Cre or Flp then the PTD is not the full length VP22 PTD of HSV (i.e., the fusion protein is not identical to the fusion protein of Dalby and Bennett, *Invitrogen, Expressions* 6.2, page 13 (1999) and of WO 99/60142);

(4) a DNA sequence coding for the fusion protein of (3) above;

(5) a vector comprising the DNA sequence as defined in (4) above;

(6) a host cell transformed with the vector of (5) above and/or comprising the DNA of (4) above;

(7) a method for producing the fusion protein of (1) above which comprises culturing the transformed host cell of (6) above and isolating the fusion protein; and

(8) an injectable composition comprising the fusion protein as defined in (1) or (3) above.

The invention is further illustrated by the appended Figures and is explained in detail below.

Description of the Figures

Fig. 1: Generation of induced mouse mutants using purified fusion proteins.

A: Expression of the fusion protein consisting of the site-specific DNA recombinase (e.g. Cre) and the protein transduction domain (e.g. the HIV derived TAT peptide) in prokaryotic or eukaryotic cells.

B: Extraction and purification of the expressed fusion protein (e.g. as described in Nagahara et al., *Nat. Med.* 4 (12):1449-52 (1998)).

C: Injection of the purified fusion protein into mice carrying the RRS-flanked target sequence.

D: Analysis of the pattern of induced target gene recombination and the resulting phenotype.

Triangle: RRS.

Fig. 2: Scheme of the bacterial expression vector pT7-TACS (SEQ ID NO:16). The coding region of the 11 amino acid protein transduction domain of HIV TAT protein is fused to the N-terminus of the Cre recombinase protein sequence. The 10-amino-acid strep tag and the protease factor Xa recognition sequence are fused to the C-terminus. The T7 promoter permits expression of TAT-Cre protein in *E. coli*.

Fig. 3: Detection of purified TAT-Cre protein by Coomassie staining and Western blot analysis.

A: Coomassie stained SDS-PAGE gel. Lane 1: 10 kDa ladder (Life Technologies, Cat. No.: 10064-012), 2: 1000 ng BSA, 3: 750 ng BSA, 4: 500 ng BSA, 5: 100 ng BSA, 6: 50 ng BSA, 7: 5 μ l TAT-Cre, 8: 1 μ l TAT-Cre in Bicine buffer.

B: Western blot analysis using an alkaline phosphatase-conjugated anti-strep tag antibody (IBA, Cat. No: 2-1503-001). Lane 1: MultiMark (Invitrogen, Cat. No.: LC5725), 2: 7 μ l TAT-Cre, 3: 5 μ l TAT-Cre, 4: 2,5 μ l TAT-Cre, 5: 1,25 μ l TAT-Cre in Bicine buffer.

Fig. 4: X-Gal staining of M5Pax8 cells treated with TAT-Cre protein. M5Pax8 fibroblasts were treated for 18 h with 3,5 (A), 6,9 (B) and 13,8 μ g/ml TAT-Cre protein (C) in serum-free medium. Four days after treatment, cells were fixed and stained with X-Gal.

Fig. 5: Measurement of β -galactosidase activity in cell lysates. M5Pax8 fibroblasts were treated for 18 h with increasing concentrations of TAT-Cre, as indicated, or transiently transfected with either expression vectors

for Cre (pCMV-I-Cre-pA, see SEQ ID NO:29) or β -galactosidase (pCMV-I- β -pA, see SEQ ID NO:30). Four days after treatment, cells were lysed and the β -galactosidase activities were determined.

Fig. 6: PCR detection of TAT-Cre mediated recombination in mice.

A: PCR-analysis of genomic DNA from duodenum (lane 2), liver (3), kidney (4), spleen (5), muscle (6), lung (7), tail (8) and brain (9) of a *pln13* mouse treated three times with intraperitoneal injections of 75 μ g TAT Cre protein at two-day-intervals. Deletion of the loxP-flanked DNA segment is indicated by the presence of the about 400 bp fragment. Lane 1: 1-kb-ladder (Life Technologies).

B: PCR strategy to detect Cre-mediated deletion of the loxP-flanked DNA segment. Arrows indicate the positions of the primers.

C: PCR-analysis of genomic DNA from spleen of a *pln13* mouse treated three times with intraperitoneal injections of 75 μ g TAT Cre protein at two-day-intervals (lane 4). To confirm the presence of the BamH I restriction site, the PCR product was digested with BamH I which produces two diagnostic fragments of about 190 and about 210 bp (5). As a control, tail DNA from untreated mice carrying the loxP-flanked (lane 2) and the detected *pln13* allele (3) was subjected to PCR amplification. Lane 1: 100 bp ladder (Life Technologies), lane 6: 1 kb ladder (Life Technologies).

Fig. 7: Scheme of the bacterial expression vectors pT7-VPCS (SEQ ID NO:17) and pCRT7- Δ VPCS (SEQ ID NO:15). The coding region of the 301 amino acid protein transduction domain of HSV VP22 protein (A) or the truncated 143 amino acid Δ VP22 domain (B) is fused to the N-terminus of the Cre recombinase protein sequence. The 10-amino-acid strep tag and the protease factor Xa recognition sequence are fused to the C-terminus. The T7 promoter allows the expression of VP22-Cre and Δ VP22-Cre fusion proteins in *E. coli*. The sequence in pCRT7- Δ VPCS encoding the 15 amino

acid N-terminal leader sequence is used for enhanced protein stability (Invitrogen).

Fig. 8: Detection of the purified VP22-Cre and Δ VP22-Cre fusion proteins by Coomassie staining and Western blot analysis.

A: Detection of VP22-Cre protein in a Coomassie-stained SDS-PAGE gel.

Lane 1: 10 kDa ladder, 2: 1000 ng BSA, 3: 500 ng BSA, 4: 100 ng BSA, 5: inclusion body protein extract before chromatography, 6: unbound protein, 7: fraction 17, 8: fraction 18, 9: fraction 19, 10: fraction 20. The position of the 75 kDa VP22-Cre protein is indicated by the arrow head.

B: Detection of VP22-Cre protein by Western blot analysis using an alkaline phosphatase-conjugated anti-strep tag antibody (IBA, Cat. No.: 2-1503-001). Lane 1: MultiMark (Invitrogen), 2: inclusion body protein extract before chromatography, 3: unbound protein, 4: fraction 10, 5: fraction 11, 6: fraction 16, 7: fraction 17, 8: fraction 18, 9: fraction 19, 10: fraction 20.

C: Detection of Δ VP22-Cre protein in a Coomassie-stained SDS-PAGE gel.

Lane 1: 10 kDa ladder, 2: inclusion body protein extract before chromatography, 3: unbound protein, 4: fraction 1, 5: fraction 8, 6: fraction 9, 7: fraction 15, 8: 100 ng BSA, 9: 500 ng BSA, 10: 1000 ng BSA. The position of the 60 kDa Δ VP22-Cre protein is indicated by the arrow head.

D: Detection of Δ VP22-Cre protein by Western blot analysis using an alkaline phosphatase-conjugated anti-strep tag antibody (IBA, Cat. No.: 2-1503-001). Lane 1: MultiMark (Invitrogen), 2: inclusion body protein extract before chromatography, 3: unbound protein, 4: fraction 4, 5: fraction 8, 6: fraction 10, 7: fraction 12, 8: soluble protein extract before chromatography, 9: unbound protein, 10: fraction 7.

Fig. 9: X-Gal staining of M5Pax8 cells treated with VP22-Cre and Δ VP22-Cre fusion proteins. M5Pax8 fibroblasts were treated for 18 h with either

Bicine buffer (A), 0.5 µg/ml VP22-Cre (B) or 3.75 g/ml ΔVP22-Cre (C) in serum-free medium. Four days after treatment, cells were fixed and stained with X-Gal.

Fig. 10: Measurement of β-galactosidase activity in cell lysates. M5Pax8 fibroblasts were treated for 18 h with VP22-Cre, ΔVP22-Cre or Bicine buffer alone, as indicated or transiently transfected with expression vectors for Cre (pCMV-I-Cre-pA, see SEQ ID NO:29) or β-galactosidase (pCMV-I-β-pA, see SEQ ID NO:30). Four days after treatment, cells were lysed and the β-galactosidase activities were determined.

Fig. 11: PCR detection of Cre mediated recombination in cells treated with VP22-Cre and ΔVP22-Cre fusion proteins shown in SEQ ID NOs: 21 and 14, respectively).

A: PCR-analysis of genomic DNA isolated from M5Pax8 fibroblasts. Cells were transiently transfected with a Cre expression vector (lane 2) or treated for 18 h with either buffer alone (lane 3), 7.5 µg/ml VP22-Cre (4, 5) or 15 µg/ml ΔVP22-Cre (6, 7) in serum-free medium. Four days after treatment, genomic DNA was extracted and subjected to PCR amplification. Deletion of the loxP-flanked DNA segment is indicated by the presence of the 226 bp DNA fragment. To confirm the presence of the Nco I restriction site in the recombined allele, the PCR products were digested with Nco I which produces two diagnostic fragments of 85bp and 141bp (lanes 5 and 7). Lane 1: 100 bp ladder (Life Technologies), lane 8: 1 kb ladder (Life Technologies).

B: PCR strategy to detect Cre-mediated deletion of the loxP-flanked DNA segment. Arrows indicate the positions of the primers.

Detailed Description of the Invention

The expression "target sequences" according to the present invention means all kind of sequences which may be mutated (viz. deleted,

translocated, integrated and/or inverted) by the action of the recombinase. The number of RRS in the target sequence depends on the kind of mutation to be performed by the recombinase. For most of the mutations (especially for deletions and inversions) two RRS are required which are flanking the sequence to be mutated (deleted or inverted). For some kinds of integrations only one RRS may be necessary within the target sequence.

The "living organisms" according to the present invention are multi-cell organisms and can be vertebrates such as mammals (e.g., rodents such as mice or rats) or non-mammals (e.g., fish) or can be invertebrates such as insects or worms, or can be plants (higher plants, algae or fungi). Most preferred living organisms are mice and fish.

"Cell culture" according to the present invention include cells isolated from the above defined living organism and cultured *in vitro*. These cells can be transformed (immortalized) or untransformed (directly derived from the living organism; primary cell culture).

The site-specific DNA recombinase domain within the fusion protein of the invention of the present application is preferably selected from a recombinase protein derived from Cre, Flp, ϕ C31 recombinase (Thorpe and Smith, Proc. Natl. Acad. Sci, USA, vol. 95, 5505-5510 (1998)), $\gamma\delta$ resolvase (Schwickardi and Dröge, FEBS letters 471:147-150 (2000) and R recombinase (Araki et al., J. Mol. Biol., 182, 191-203 (1985)). The preferred recombinases are Cre and mutants thereof (preferably the Cre variant of aa 15 to 357 of SEQ ID NO: 2 or aa 325-667 of SEQ ID NO: 6) and Flp and variants thereof including Flpe (preferably the Flp variant of aa 15 to 437 of SEQ ID NO: 4 or aa 325 to 747 of SEQ ID NO: 8).

The protein transduction domain according to the present invention includes, but is not limited to, the PTDs mentioned in Background of the Invention. The PTD preferably is derived from the VP22 protein of HSV or from the TAT protein of HIV. Suitable TAT proteins include, but are not limited to, proteins comprising (i) the amino acid sequence shown in SEQ ID NO: 10 and mutant thereof such as

(ii) proteins comprising the amino acid

AGRKKRRQRRR (SEQ ID NO:22)

YARKARRQARR (SEQ ID NO:23)

YARAAARQARA (SEQ ID NO:24)

YARAARRAARR (SEQ ID NO:25)

YARAARRAARA (SEQ ID NO:26)

YARRRRRRRRR (SEQ ID NO:27)

YAAARRRRRRR (SEQ ID NO:28)

as known from WO 99/29721. Preferred are transduction domains consisting of the TAT proteins (I) and (II) above.

Suitable VP22 proteins include, but are not limited to, the wild-type VP22 protein, i.e., a protein comprising amino acids 1 to 302 of SEQ ID No:21, and truncated forms thereof. Truncated VP22 proteins in accordance with the present invention can be those lacking 1 to 158 amino acid residues at their N-terminal end. The most preferred VP22 protein is the truncated VP22 PTD comprising amino acid residues 16 to 157 of SEQ ID NO:14.

The fusion of the two domains of the fusion protein can occur at any possible position, i.e., the protein transduction domain can be fused to the N- or C-terminal of the site-specific DNA recombinase or can be fused to active sites within the site-specific DNA recombinase. Preferably the protein transduction domain is fused to the N-terminal of the site-specific DNA recombinase domain.

The protein transduction domain can be fused to the site-specific DNA recombinase either through a direct chemical bond or through a linker molecule. Such linker molecule can be any bivalent chemical structure capable of linking the two domains. The preferred linker molecule according to the present invention is a short peptide, e.g., having 1 to 20, preferably 1 to 10, amino acid residues. Specifically preferred short peptides are essentially consisting of Gly, Ala and/or Leu.

The fusion protein of the invention of the present application may further comprise other functional sequences such as secretion conferring signals, nuclear localisation signals and/or signals conferring protein stabilisation.

In case the fusion protein comprises a protein transduction domain derived from the TAT protein of HIV, the DNA sequence coding for said fusion protein preferably comprises the sequence

5' TAC GGC CGC AAG AAG CGC CGC CAA CGC CGC CGC 3'.

Such a preferred DNA sequence is for instance shown in SEQ ID NO: 11. In said sequence the 3' terminal codon ggc codes for the linker Gly. The DNA sequence of a suitable recombinase may be directly attached to said codon ggc.

The fusion protein can be obtained by the following steps:

1. Fusion of the recombinase coding region (e.g. encoding Cre: see amino acids 15 to 357 of SEQ ID NO: 2) with the sequence conferring protein translocation (e.g. the sequence encoding the TAT peptide YGRKKRRQRRR, SEQ ID NO: 10) using standard cloning protocols (Maniatis et al., Cold Spring Harbor Laboratory, New York (1989)) or chemical synthesis.

2. Generation of a construct for the expression of the fusion protein in prokaryotic or eukaryotic cells, e.g. in *E. coli* DH5a (Hanahan, J. Mol. Biol.; 166(4):557-80 (1983)) using the QIAexpress pQE vector (Qiagen, Hilden).
3. Expression of the above mentioned fusion protein in prokaryotic or eukaryotic cells, e.g. in *E. coli* DH5a (Hanahan, 1983)
4. Extraction and purification of the above mentioned fusion protein e.g. as described in Nagahara et al., Nat. Med., 4(12):1449-52 (1998).

In an experiment it was shown that TAT-mediated delivery of active Cre protein works with sufficient efficacy to facilitate inducible gene targeting both in cell lines and living organisms. In this experiment a vector for the expression of a TAT-Cre fusion protein in *E. coli* was constructed, TAT-Cre protein was expressed in *E. coli* and purified from bacterial lysates. To test the activity of the TAT-Cre protein *in vitro*, a reporter cell line that contains a loxP-containing reporter construct was used. This reporter, when recombined by Cre recombinase, allows the expression of a β -galactosidase gene. Further, a transgenic mouse strain carrying a loxP-flanked target was used to invest the activity of the TAT-Cre protein *in vivo*.

In a second experiment it was shown that VP22-mediated delivery of active Cre protein works with sufficient efficacy to facilitate inducible gene targeting. In this experiment Bacterial expression vectors were constructed for the production of VP22-Cre fusion proteins in *E. coli*. The activity of purified VP22-Cre proteins were tested using a reporter fibroblast cell line containing a loxP-flanked reporter construct.

Thus, the injection of the purified fusion protein of the present invention into a living organism (e.g., a mouse) carrying a gene comprising the RRS-flanked target sequence (e.g., in an amount of 1 to 200, preferably 5

to 50 µg per g body weight). To demonstrate the feasibility of the invention, a reporter mouse strain carrying an RRS-flanked cassette was used (Thorey et al., Mol. Cell Biol., 18(10):6164 (1998)).

Analysis is achieved by determining the pattern of induced target gene recombination (e.g. through PCR analysis, Southern blot analysis or X-Gal staining on tissue sections; Maniatis et al., 1989; Gossler and Zachgo, Joyner AL (Ed.), Oxford University Press, Oxford, New York (1993)).

The procedure's advantages over current technology are as follows:

- (i) The absence of background recombination before administration of the fusion protein.
- (ii) The reduction of time and resources which are necessary to combine the recombinase transgene and two copies of the RRS-flanked target gene by conventional breeding.

In experiments it was shown the following: (a) With a suitable vector for the expression of a TAT-Cre fusion protein, a TAT-Cre fusion protein was expressed in *E. coli* and purified from bacterial lysates.

(b) A reporter cell line containing a loxP-containing reporter construct was used to test the activity of the TAT-Cre protein *in vitro*. This reporter, when recombined by Cre recombinase, allows the expression of a β-galactosidase gene.

(c) A transgenic mouse strain carrying a loxP-flanked target was used to invest the activity of the TAT-Cre protein *in vivo*.

These experiments demonstrate that TAT-mediated delivery of active Cre protein works with sufficient efficacy to facilitate inducible gene targeting both in cell lines and living organisms.

Furthermore, bacterial expression vectors were constructed for the production of VP22-Cre fusion proteins in *E. coli*. The activity of purified VP22-Cre proteins were tested using a reporter fibroblast cell line containing a loxP-flanked reporter construct. These experiments demonstrate that VP22-mediated delivery of active Cre protein works with sufficient efficacy to facilitate inducible gene targeting.

The invention is further illustrated by the following, non-limitative examples.

Examples

Materials and Methods

Construction of pT7-TACS: The TAT-Cre coding region was generated by PCR using Advantage-HF PCR Kit (Clontech), 20 pmol of the primers TATcre sense (5'-atg cca tgg gct acg gcc gca aga agc gcc gcc aac gcc gcc gcg gca tgt cca att tac tga ccg tac acc-3'; SEQ ID NO:31) and TATcre antisense (5'-ttt cgg atc cgc cgc ata acc agt g-3'; SEQ ID NO:32) and 10 ng pCMV-I-Cre-pA (see SEQ ID NO:29) as template. The PCR reaction was performed using the following cycle profile: 2' 94 °C, 4 x (30" 94 °C min, 30" 50 °C, 1' 72 °C), 12 x (30" 94 °C min, 30" 55 °C, 1' 72 °C) and 10' 72 °C. The resulting PCR fragment was digested with Nco I and BamH I, treated with Klenow enzyme and ligated into the plasmid pBSII KS+ which had been opened with restriction enzyme BamH I, treated with Klenow and dephosphorylated with calf intestinal phosphatase. The resulting plasmid pBS TAT-5'cre was verified by DNA sequencing. The Plasmid pCMV-I-Cre-pA (SEQ ID NO:29) was digested with Age I and Sal I which released a 1,036 kb fragment containing the 3' part of the Cre coding region. This fragment was ligated into the plasmid pBS TAT-5'cre which had been opened with Age I and Sal I.

10 ng pBS-TATCre was subjected to PCR amplification using 20 pmol of primers FPA001 (5'-tat atc tag acc atg ggc tac ggc cgc aag aag c-3'; SEQ ID NO:33) and FPA002 (5'-gct acc acg acc ttc gat acc atc gcc atc ttc cag cag gcg c-3'; SEQ ID NO:34). PCR was performed using 2,5 U Platinum Pfx DNA polymerase (Gibco BRL) and 2 x Enhancer Solution (Gibco BRL) according to the manufacturers protocol. The following cycle profile was used: 2' 94 °C, 25 x (30" 94 °C min, 15" 54,6 °C, 2'30" 68 °C). The amplified PCR fragment was purified using GFX columns (Amersham Pharmacia), digested with Xba I and ligated into the plasmid pASK57 (Skerra and Arne, Gene 151: 131-135 (1994)) which had been opened with restriction enzymes Xba I and Eco 47 III and dephosphorylated with calf intestinal phosphatase. The resulting plasmid pASK75-TACS was digested with restriction enzymes Nco I and Hind III which released a 1,1 kb fragment. The fragment was subsequently ligated into the plasmid pT7-7 (Studier and Moffatt, J. Mol. Biol. 189: 113-130 (1986)) which had been opened with restriction enzymes Nco I and Hind III and dephosphorylated with calf intestinal phosphatase resulting in the plasmid pT7-TACS (SEQ ID NO:16).

Construction of pT7-VPCS: The Cre coding region was generated by PCR using Advantage-HF PCR Kit (Clontech), 20 pmol of the primers VP22cre sense (5'-taa cta gcg gcc gca tgt cca att tac tga ccg tac ac-3'; SEQ ID NO:35) and VP22cre antisense (5'-tcg agc ggc cgc cat cgc cat ctt cca gca ggc g-3'; SEQ ID NO:36) and 10 ng pgkcre-pA (SEQ ID NO:40) as template. The PCR reaction was performed using the following cycle profile: 2' 94 °C, 5 x (30" 94 °C, 30" 50 °C, 2' 72 °C), 15 x (30" 94 °C, 30" 55 °C, 2' 72 °C) and 10' 72 °C. The resulting PCR fragment was digested with Not I and ligated into the plasmid pVP22/Myc-His (Invitrogen), which had been opened with restriction enzyme NotI, dephosphorylated with calf intestinal phosphatase. The resulting plasmid pVP22-cre myc/His was verified by DNA sequencing.

10 ng pVP22-cre myc/His was subjected to PCR amplification using 20 pmol of primers FPA004 (5'-tat atc tag aca tat gac ctc tcg ccg ctc cg-3'; SEQ ID NO:37) and FPA002 (SEQ ID NO:34). PCR was performed using 2,5 U Platinum Pfx DNA polymerase (Gibco BRL) and 2 x Enhancer Solution (Gibco BRL) according to the manufacturers protocol. The following cycle profile was used: 2' 94 °C, 25 x (30" 94 °C min, 15" 54,6 °C, 2'30" 68 °C). The amplified PCR fragment was purified using GFX columns (Amersham Pharmacia), digested with Xba I and ligated into the plasmid pASK57 (Skerra and Arne, Gene 151: 131-135 (1994)) which had been opened with restriction enzymes Xba I and Eco 47 III and dephosphorylated with calf intestinal phosphatase. The resulting plasmid pASK75-VPCS was digested with restriction enzymes Nde I and Hind III which released a 2,0 kb fragment. The fragment was subsequently ligated into the plasmid pT7-7 (Studier and Moffatt, J. Mol. Biol. 189: 113-130 (1986)) which had been opened with restriction enzymes Nde I and Hind III and dephosphorylated with calf intestinal phosphatase resulting in the plasmid pT7-VPCS (SEQ ID NO:17).

Construction of pCRT7-ΔVPCS: The ΔVP22-Cre coding region was generated by PCR using Platinum Pfx DNA polymerase (Life Technologies), 20 pmol of the primers FPA007 (5'-ttc cga aga cga cga aac acc-3'; SEQ ID NO:38) and FPA008 (5'-tat att cga agc tta tta acc acc gaa ctg cg-3'; SEQ ID NO:39) and 30 ng pT7-VPCS (SEQ ID NO:17) as template. The PCR reaction was performed using the following cycle profile: 2' 94 °C, 25 x (30" 94 °C, 30" 61 °C, 2'30" 68 °C) and 7' 68 °C. The resulting 1,8 kb PCR fragment was digested with Nco I and Sfu I and ligated into the plasmid pCRT7/VP22-1 (Invitrogen), which had been opened with restriction enzymes Nco I and Sfu I, and dephosphorylated with calf intestinal phosphatase. The resulting plasmid pCRT7-ΔVPCS (SEQ ID NO:15) was verified by DNA sequencing.

Expression of the fusion proteins in E. coli: E. coli BL21(DE3)-RIL cells (Stratagene) were transformed with pT7-TACS and grown on LB agar plates containing 100 µg/ml ampicillin. E. coli BL21(DE3)-RP cells (Stratagene) were transformed with pT7-VPCS and grown on LB agar plates containing 100 µg/ml ampicillin. E. coli BL21(DE3)-pLysS (Invitrogen) were transformed with pCRT7-ΔVPCS and grown on LB agar plates containing 25 µg/ml kanamycine and 34 µg/ml chloramphenicol. Single colonies were isolated and used to prepare glycerol stocks. Eight 5ml LB (Lura Bertani) aliquots containing antibiotics were inoculated with stabs from the glycerol stocks and grown overnight at 37°C with shaking. Two 5ml overnight cultures were each used to inoculate one of four 1L LB aliquots containing antibiotics and grown at 37°C with shaking. Growth rate was monitored by spectrophotometry at 578nm. When the cultures had obtained an $OD_{578} = 0,5$ expression of the fusion proteins were induced by the addition of 0,5 mM Isopropyl-β-D-1-thiogalactopyranosid (IPTG). Two hours after induction cells were harvested by centrifugation at 12000xg and the pellet rapidly frozen in liquid nitrogen and stored immediately at -80°C.

Purification of the fusion proteins from bacterial lysates: Each 10g cell pellet was resuspended on ice in 30ml Bicine buffer (50mM Bicine, pH 8,5) including one protease inhibitor tablet (Complete, Roche). Cells were lysed through threefold treatment (1500psi, 5 minutes) with the cell disruption bomb (Parr Instrument). 30ml of Benzonase (10000U, Merck) was added and cell extracts were incubated for 30 minutes at 4°C. Cell extracts were then centrifuged at 12,000xg (4°C). The pellet was redissolved in 8M urea, 50mM Bicine, 100mM DTT, pH 8,5 by incubation for 16 hours at 4°C. Protein extract was centrifuged at 31000xg and supernatant harvested. Protein extract was diluted in an equal volume of Chromatography buffer A (50mM Bicine, pH 8,5). PH was adjusted to pH

8,5 and the extract was filtered through a 0,45µm filter (Millipore). FPLC (Akta Explorer, Amersham Pharmacia) was performed using a cation exchange column (Sephacrose SP, Column body HR_5/5 (0.5 x 5cm), column volume (CV) 1ml, linear flow 300cm/hour, Amersham Pharmacia). After addition of sample to FPLC column, buffer was exchanged with Chromatography buffer A at 10 CV.

TAT-Cre and VP22-Cre fusion proteins were eluted from the column by gradient elution using chromatography buffer B (50mM Bicine, 1M NaCl, pH 8,5) using the following profile: 0 - 50 % buffer B, 0 CV; 50 % buffer B, 10 CV; 50 - 100 % buffer B (linear gradient), 20 CV; 100 % buffer B, 10 CV. ΔVP22-Cre protein was eluted from the column by gradient elution using the following profile: 0 - 10 % buffer B, 0 CV; 10 % buffer B, 10 CV; 10 - 30 % buffer B, 0 CV; 30 % buffer B, 10 CV; 30 - 100 % buffer B, 0 CV; 100 % buffer B, 10 CV. Three 1,5ml fractions each containing purified fusion proteins were collected. Purity and concentration of protein fractions were determined by Coomassie blue stained SDS-PAGE gels and Western blot analysis using dilutions of BSA standard solutions. In addition protein content was determined using a Bradford assay (Coomassie Plus protein assay, Pierce).

SDS-PAGE and Western blot analysis: SDS-PAGE and Coomassie staining was performed according to standard protocols (Maniatis et al., Cold Spring Harbor Laboratory, New York (1989)) using 4 - 12 % gradient SDS-polyacrylamide gels (NuPAGE, Invitrogen, cat. no.: NPO321). Western blot analysis was performed using a Semi-Try Blotting Chamber (Biorad) and nitrocellulose membranes (0,2 µm; Schleicher & Schuell) according to the manufacturers protocols. The fusion proteins were detected by using an alkaline phosphatase-conjugated anti-strep tag antibody (IBA, Cat. No.: 2-1503-001) according to the manufacturers protocol.

Generation of the M5Pax8 Cre reporter cell line: The SV40-transformed murine embryonic fibroblast line MEF5/5 (Schwenk et al., Nucl Acids Res 26(6), 1427-32 (1998)) was transfected with the vector pPGKpaX1 (Kellendonk et al, Nucl. Acids Res. 24, 1404-11 (1996)). 10^6 MEF5/5 cells were electroporated with 20 μ g pPGKpaX1 plasmid DNA linearised with Sca I and plated into 48-well-plates. The cells were cultured in DMEM/Glutamax medium (Life Technologies) supplemented with 10 % fetal calf serum at 37°C, 10 % CO₂ in humid atmosphere. Two days after transfection the medium was supplemented with 5 μ g/ml puromycine (Calbiochem) for the selection of stable integrants. 14 puromycine-resistant clones were expanded and tested by transien transfection with the Cre expression vector pPGK-Cre-pA (SEQ ID NO: 40). In two out of the 14 puromycine-resistant clones, the expression of β -galactosidase could be detected by staining with X-Gal. One of these clones, M5Pax8, was used as Cre reporter cell line.

Transfection and measurement of β -galactosidase activity: Fibroblasts (10^6 cells per 24 well plate (Falcon)) were transfected with 25 ng pCMV-I-Cre-pA (see SEQ ID NO:29) or pCMV-I- β -pA (see SEQ ID NO:30) plasmids using the FuGene transfection reagent (Roche Diagnostics). After 2 days the cells were lysed and the β -galactosidase activities were determined with the β -galactosidase reporter gene assay (Roche Diagnostics) according to the manufacturers guidelines using a Lumistar luminometer (MWG).

Histochemical detection of β -galactosidase activity: To quantitate β -galactosidase expression, fibroblast cells were washed once with phosphate buffered saline (PBS), and the cells were fixed for 5 minutes at room temperature in a solution of 4% formaldehyde in PBS. Next, the cells were washed twice with PBS and finally incubated in staining solution for 24 hours at 37°C (staining solution: 5 mM K₃(Fe(CN)₆), 5mM

K₄(Fe(CN)₆), 2mM MgCl₂, 1mg/ml X-Gal (BioMol) in PBS). Blue stained, β -galactosidase positive cells were detected and distinguished from negative (transparent) cells in a cell culture binocular microscope under 200x magnification. For each determination a minimum of 200 cells was counted.

PCR detection of Cre-mediated recombination: Genomic DNA extracted from tissue samples was subjected to PCR using Taq-polymerase (Gibco BRL Cat. No. 10342-020) using 20 pmol of each primer (sense: 5' -CAT CTC CGG GCC TTT CGA CCT G - 3', antisense: 5' -GCG ATC GGT GCG GGC CTC TTC - 3'; SEQ ID Nos: 41 and 42, respectively). PCR was performed using the following cycle profile: 2' 94°C, 35 x (30" 94°C, 30" 55 °C, 1' 72 °C), 10 min 72 °C. PCR products were separated on a 1,2 % agarose gel.

Example 1

The vector pT7-TACS (SEQ ID NO:16) was constructed for the expression of a TAT-Cre fusion protein in *E. coli*. The plasmid contains the coding region of the 11 amino acid protein transduction domain of the wild-type HIV TAT protein (Green and Loewenstein, *Cell*, 55(6):1179-88 (1988); Frankel and Pabo, *Cell*, 55(6): 1189-93 (1988); SEQ ID NO:10) fused to the N-terminus of Cre recombinase protein sequence. The 10-amino-acid strep tag at the C-terminus allows the detection and purification of the fusion protein using specific antibodies (Schmidt and Skerra, *J. Chromatogr A* 676: 337-345 (1994)). The protease factor Xa recognition site (Ile-Glu-Gly-Arg) permits the removal of the strep tag by proteolytic cleavage. The estimated molecular weight of the TAT-Cre fusion protein is 42 kDa. A scheme of the TAT-Cre expression vector is depicted in figure 2. For the expression of TAT-Cre, the *E. coli* strain BL21(DE3)-RIL (Stratagene) was used. This strain carries an IPTG-inducible T7 polymerase gene and additional copies of the tRNA genes for the 'rare

codons' argU, ileY and leuW.

E. coli BL21(DE3)-RIL cells were transformed with pT7-TACS and grown in LB medium containing 100 µg/ml ampicillin. The expression of the 40 kDa TAT-Cre fusion protein could be strongly induced by the addition of 0,5 mM IPTG to the culture medium. Analysis of protein lysates revealed that approximately 50 % of TAT-Cre protein accumulated as insoluble inclusion bodies. The inclusion bodies were extracted and dissolved in 8 M urea. TAT-Cre was subsequently purified from this fraction using ion exchange chromatography. The quantity and purity of TAT-Cre protein was determined using Coomassie stained SDS-PAGE gels and Western blot analysis (figure 3). The purification process yielded TAT-Cre protein extracts of 64 % purity and a concentration of 100 µg/ml.

To analyse the ability of the purified TAT-Cre protein to transduce into cultured cells, we used the fibroblast cell line M5Pax8 (R. Kühn, unpublished) that contains a loxP-containing reporter construct. This reporter, when recombined by Cre recombinase, allows the expression of a β -galactosidase gene (Buchholz et al, Nucleic Acids Res. 24, 4256-4262, 1996). Cells were cultured for 18 h with increasing concentrations of TAT-Cre protein in serum-free medium and analysed 4 days later for β -Galactosidase activity. Staining with X-Gal showed that > 50 % of the cells treated with 13,8 µg/ml TAT-Cre protein expressed β -galactosidase indicating recombination of the loxP-flanked reporter construct had occurred (figure 4). Measurement of β -galactosidase activity in cell lysates revealed an up to 30-fold higher level of β -galactosidase activity in comparison to cells which had been transiently transfected with an eukaryotic Cre expression vector (figure 5).

To investigate the activity of TAT-Cre protein in a living organism, we used a transgenic mouse strain carrying a loxP-flanked target for Cre-mediated recombination (Thorey et al., 1998, Mol. Cell. Biol. 18: 3081 – 3088). Mice were treated three times with intraperitoneal injections of 75 µg TAT Cre protein at two-day-intervals and analysed 2 days later. Genomic DNA was

isolated from a variety of organs and subjected to PCR amplification which specifically amplifies a 400 bp fragment of the recombined allele. The deleted allele could be detected in multiple tissues from treated mice indicating TAT-Cre-mediated recombination in these organs (figure 6). This experiments demonstrates that TAT-mediated delivery of active Cre protein works with sufficient efficacy to facilitate inducible gene targeting in cell lines and in living organisms.

Example 2

The vectors pT7-VPCS (SEQ ID NO:17) and pCRT7-ΔVPCS (SEQ ID NO:15) were constructed for the expression of VP22-Cre and ΔVP22-Cre fusion proteins in *E. coli*. The VP22-Cre gene of pT7-VPCS contains the full length protein translocation domain of the HSV VP22 protein (Elliott and O'Hare, *Cell*, 88(2): 223-33 (1987), whereas the ΔVP22-Cre gene of pCRT7-ΔVPCS contains a truncated VP22 protein transduction domain (amino acids 159 – 301; Invitrogen; aa 16-157 of SEQ ID NO:14) fused to the N-terminus of Cre recombinase protein sequence. A 10-amino-acid strep tag at the C-terminus of Cre protein sequence allows the detection and purification of the fusion proteins using specific antibodies (Schmidt and Skerra, *J. Chromatogr A* 676: 337-345 (1994)). The protease factor Xa recognition site permits the removal of the Strep tag by proteolytic cleavage. The estimated molecular weight is 75 kDa for VP22-Cre protein and 60 kDa for ΔVP22-Cre protein. A scheme of the vectors pT7-VPCS and pCRT7-ΔVPCS is depicted in figure 7.

E. coli BL21(DE3)-RIP cells (Stratagene) were transformed with pT7-VPCS and cultured in LB medium containing 100 µg/ml ampicillin. *E. coli* BL21(DE3)-pLysS cells (Stratagene) were transformed with pCRT7-ΔVPCS and cultured in LB medium containing 25 µg/ml kanamycine and 34 µg/ml chloramphenicol. Expression of the VP22-Cre and ΔVP22-Cre fusion proteins could be induced by the addition of 0,5 mM IPTG to the culture medium. Analysis of protein extracts using Coomassie staining and

Western blotting of SDS-PAGE gels revealed that 50 - 60 % of VP22-Cre and Δ VP22-Cre proteins accumulated as insoluble inclusion bodies. The inclusion bodies were extracted and dissolved in 8 M urea. VP22-Cre and Δ VP22-Cre fusion proteins were subsequently purified using ion exchange chromatography. The quantity and purity of the isolated VP22-Cre and Δ VP22-Cre fusion proteins was determined using Coomassie stained SDS-PAGE gels and Western blot analysis (figure 8).

To analyse the ability of the purified fusion proteins to transduce into cultured cells, we used the fibroblast cell line M5Pax8 that contains a loxP-containing reporter construct. When recombined by Cre recombinase, the reporter allows the expression of a β -galactosidase gene (Buchholz et al, Nucleic Acids Res. 24, 4256-4262, 1996). The cells were cultured for 18 h with increasing concentrations of VP22-Cre and Δ VP22-Cre in serum-free medium and analysed 4 days later for β -Galactosidase activity. Staining with X-Gal showed ~2 % blue cells in the cultures treated with up to 15 μ g/ml Δ VP22-Cre indicating recombination of the loxP-flanked reporter construct had occurred. In contrast, cell cultures treated with up to 0,5 μ g/ml VP22-Cre did not show any X-gal staining (figure 9). Measurement of cell lysates revealed a strong increase of β -galactosidase activity upon Δ VP22-Cre treatment when compared to untreated cells (figure 10).

Genomic DNA was isolated and subjected to PCR amplification that specifically amplifies a 250 bp fragment of the recombined allele. The deleted allele could be detected in cells treated with both VP22-Cre and Δ VP22-Cre fusion proteins (figure 11).

This experiment demonstrates that VP22-mediated delivery of active Cre protein works with sufficient efficacy to facilitate inducible gene targeting.

WO 01/49832

26

SEQUENCE LISTING

<110> ARTEMIS Pharmaceuticals GmbH

<120> Transduction of recombinases for inducible gene targeting

<130> 010007wo/JH/ml

<140>

<141>

<160> 42

<170> PatentIn Ver. 2.1

<210> 1

<211> 1074

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: DNA sequence coding for a fusion protein TAT-Cre

<220>

<221> CDS

<222> (1)..(1071)

<400> 1

atg ggc tac ggc cgc aag aag cgc cgc caa cgc cgc cgc ggc atg tcc	48
Met Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly Met Ser	
1 5 10 15	

aat tta ctg acc gta cac caa aat ttg cct gca tta ccg gtc gat gca	96
Asn Leu Leu Thr Val His Gln Asn Leu Pro Ala Leu Pro Val Asp Ala	
20 25 30	

acg agt gat gag gtt cgc aag aac ctg atg gac atg ttc agg gat cgc	144
Thr Ser Asp Glu Val Arg Lys Asn Leu Met Asp Met Phe Arg Asp Arg	
35 40 45	

cag gcg ttt tct gag cat acc tgg aaa atg ctt ctg tcc gtt tgc cgg	192
Gln Ala Phe Ser Glu His Thr Trp Lys Met Leu Leu Ser Val Cys Arg	
50 55 60	

tcg tgg gcg gca tgg tgc aag ttg aat aac cgg aaa tgg ttt ccc gca	240
Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn Arg Lys Trp Phe Pro Ala	
65 70 75 80	

gaa cct gaa gat gtt cgc gat tat ctt cta tat ctt cag gcg cgc ggt	288
Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu Tyr Leu Gln Ala Arg Gly	
85 90 95	

ctg gca gta aaa act atc cag caa cat ttg ggc cag cta aac atg ctt	336
Leu Ala Val Lys Thr Ile Gln Gln His Leu Gly Gln Leu Asn Met Leu	
100 105 110	

cat cgt cgg tcc ggg ctg cca cga cca agt gac agc aat gct gtt tca	384
His Arg Arg Ser Gly Leu Pro Arg Pro Ser Asp Ser Asn Ala Val Ser	
115 120 125	

ctg gtt atg cgg cgg atc cga aaa gaa aac gtt gat gcc ggt gaa cgt	432
Leu Val Met Arg Arg Ile Arg Lys Glu Asn Val Asp Ala Gly Glu Arg	
130 135 140	
gca aaa cag gct cta gcg ttc gaa cgc act gat ttc gac cag gtt cgt	480
Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr Asp Phe Asp Gln Val Arg	
145 150 155 160	
tca ctc atg gaa aat agc gat cgc tgc cag gat ata cgt aat ctg gca	528
Ser Leu Met Glu Asn Ser Asp Arg Cys Gln Asp Ile Arg Asn Leu Ala	
165 170 175	
ttt ctg ggg att gct tat aac acc ctg tta cgt ata gcc gaa att gcc	576
Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu Arg Ile Ala Glu Ile Ala	
180 185 190	
agg atc agg gtt aaa gat atc tca cgt act gac ggt ggg aga atg tta	624
Arg Ile Arg Val Lys Asp Ile Ser Arg Thr Asp Gly Gly Arg Met Leu	
195 200 205	
atc cat att ggc aga acg aaa acg ctg gtt agc acc gca ggt gta gag	672
Ile His Ile Gly Arg Thr Lys Thr Leu Val Ser Thr Ala Gly Val Glu	
210 215 220	
aag gca ctt agc ctg ggg gta act aaa ctg gtc gag cga tgg att tcc	720
Lys Ala Leu Ser Leu Gly Val Thr Lys Leu Val Glu Arg Trp Ile Ser	
225 230 235 240	
gtc tct ggt gta gct gat gat ccg aat aac tac ctg ttt tgc cgg gtc	768
Val Ser Gly Val Ala Asp Asp Pro Asn Asn Tyr Leu Phe Cys Arg Val	
245 250 255	
aga aaa aat ggt gtt gcc gcg cca tct gcc acc agc cag cta tca act	816
Arg Lys Asn Gly Val Ala Ala Pro Ser Ala Thr Ser Gln Leu Ser Thr	
260 265 270	
cgc gcc ctg gaa ggg att ttt gaa gca act cat cga ttg att tac gcc	864
Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr His Arg Leu Ile Tyr Gly	
275 280 285	
gct aag gat gac tct ggt cag aga tac ctg gcc tgg tct gga cac agt	912
Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu Ala Trp Ser Gly His Ser	
290 295 300	
gcc cgt gtc gga gcc gcg cga gat atg gcc cgc gct gga gtt tca ata	960
Ala Arg Val Gly Ala Ala Arg Asp Met Ala Arg Ala Gly Val Ser Ile	
305 310 315 320	
ccg gag atc atg caa gct ggt ggc tgg acc aat gta aat att gtc atg	1008
Pro Glu Ile Met Gln Ala Gly Gly Trp Thr Asn Val Asn Ile Val Met	
325 330 335	
aac tat atc cgt aac ctg gat agt gaa aca ggg gca atg gtg cgc ctg	1056
Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr Gly Ala Met Val Arg Leu	
340 345 350	
ctg gaa gat ggc gat tag	1074
Leu Glu Asp Gly Asp	
355	

<210> 2

<211> 357

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: DNA sequence
coding for a fusion protein TAT-Cre

<400> 2

```

Met Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly Met Ser
 1           5           10           15
Asn Leu Leu Thr Val His Gln Asn Leu Pro Ala Leu Pro Val Asp Ala
 20           25           30
Thr Ser Asp Glu Val Arg Lys Asn Leu Met Asp Met Phe Arg Asp Arg
 35           40           45
Gln Ala Phe Ser Glu His Thr Trp Lys Met Leu Leu Ser Val Cys Arg
 50           55           60
Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn Arg Lys Trp Phe Pro Ala
 65           70           75           80
Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu Tyr Leu Gln Ala Arg Gly
 85           90           95
Leu Ala Val Lys Thr Ile Gln Gln His Leu Gly Gln Leu Asn Met Leu
100           105           110
His Arg Arg Ser Gly Leu Pro Arg Pro Ser Asp Ser Asn Ala Val Ser
115           120           125
Leu Val Met Arg Arg Ile Arg Lys Glu Asn Val Asp Ala Gly Glu Arg
130           135           140
Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr Asp Phe Asp Gln Val Arg
145           150           155           160
Ser Leu Met Glu Asn Ser Asp Arg Cys Gln Asp Ile Arg Asn Leu Ala
165           170           175
Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu Arg Ile Ala Glu Ile Ala
180           185           190
Arg Ile Arg Val Lys Asp Ile Ser Arg Thr Asp Gly Gly Arg Met Leu
195           200           205
Ile His Ile Gly Arg Thr Lys Thr Leu Val Ser Thr Ala Gly Val Glu
210           215           220
Lys Ala Leu Ser Leu Gly Val Thr Lys Leu Val Glu Arg Trp Ile Ser
225           230           235           240
Val Ser Gly Val Ala Asp Asp Pro Asn Asn Tyr Leu Phe Cys Arg Val
245           250           255
Arg Lys Asn Gly Val Ala Ala Pro Ser Ala Thr Ser Gln Leu Ser Thr
260           265           270
Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr His Arg Leu Ile Tyr Gly
275           280           285
Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu Ala Trp Ser Gly His Ser
290           295           300
Ala Arg Val Gly Ala Ala Arg Asp Met Ala Arg Ala Gly Val Ser Ile
305           310           315           320

```

Pro Glu Ile Met Gln Ala Gly Gly Trp Thr Asn Val Asn Ile Val Met
 325 330 335

Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr Gly Ala Met Val Arg Leu
 340 345 350

Leu Glu Asp Gly Asp
 355

<210> 3
 <211> 1317
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein TAT-Flpe

<220>
 <221> CDS
 <222> (1)..(1311)

<400> 3
 atg ggc tac ggc cgc aag aag cgc cgc caa cgc cgc cgc ggc atg agt 48
 Met Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly Met Ser
 1 5 10 15

caa ttt gat ata tta tgt aaa aca cca cct aag gtc ctg gtt cgt cag 96
 Gln Phe Asp Ile Leu Cys Lys Thr Pro Pro Lys Val Leu Val Arg Gln
 20 25 30

ttt gtg gaa agg ttt gaa aga cct tca ggg gaa aaa ata gca tca tgt 144
 Phe Val Glu Arg Phe Glu Arg Pro Ser Gly Glu Lys Ile Ala Ser Cys
 35 40 45

gct gct gaa cta acc tat tta tgt tgg atg att act cat aac gga aca 192
 Ala Ala Glu Leu Thr Tyr Leu Cys Trp Met Ile Thr His Asn Gly Thr
 50 55 60

gca atc aag aga gcc aca ttc atg agc tat aat act atc ata agc aat 240
 Ala Ile Lys Arg Ala Thr Phe Met Ser Tyr Asn Thr Ile Ile Ser Asn
 65 70 75 80

tcg ctg agt ttc gat att gtc aac aaa tca ctc cag ttt aaa tac aag 288
 Ser Leu Ser Phe Asp Ile Val Asn Lys Ser Leu Gln Phe Lys Tyr Lys
 85 90 95

acg caa aaa gca aca att ctg gaa gcc tca tta aag aaa tta att cct 336
 Thr Gln Lys Ala Thr Ile Leu Glu Ala Ser Leu Lys Lys Leu Ile Pro
 100 105 110

gct tgg gaa ttt aca att att cct tac aat gga caa aaa cat caa tct 384
 Ala Trp Glu Phe Thr Ile Ile Pro Tyr Asn Gly Gln Lys His Gln Ser
 115 120 125

gat atc act gat att gta agt agt ttg caa tta cag ttc gaa tca tcg 432
 Asp Ile Thr Asp Ile Val Ser Ser Leu Gln Leu Gln Phe Glu Ser Ser
 130 135 140

gaa gaa gca gat aag gga aat agc cac agt aaa aaa atg ctt aaa gca 480
 Glu Glu Ala Asp Lys Gly Asn Ser His Ser Lys Lys Met Leu Lys Ala
 145 150 155 160

ctt cta agt gag ggt gaa agc atc tgg gag atc act gag aaa ata cta	528
Leu Leu Ser Glu Gly Glu Ser Ile Trp Glu Ile Thr Glu Lys Ile Leu	
165 170 175	
aat tcg ttt gag tat acc tcg aga ttt aca aaa aca aaa act tta tac	576
Asn Ser Phe Glu Tyr Thr Ser Arg Phe Thr Lys Thr Lys Thr Leu Tyr	
180 185 190	
caa ttc ctc ttc cta gct act ttc atc aat tgt gga aga ttc agc gat	624
Gln Phe Leu Phe Leu Ala Thr Phe Ile Asn Cys Gly Arg Phe Ser Asp	
195 200 205	
att aag aac gtt gat ccg aaa tca ttt aaa tta gtc caa aat aag tat	672
Ile Lys Asn Val Asp Pro Lys Ser Phe Lys Leu Val Gln Asn Lys Tyr	
210 215 220	
ctg gga gta ata atc cag tgt tta gtg aca gag aca aag aca agc gtt	720
Leu Gly Val Ile Ile Gln Cys Leu Val Thr Glu Thr Lys Thr Ser Val	
225 230 235 240	
agt agg cac ata tac ttc ttt agc gca agg ggt agg atc gat cca ctt	768
Ser Arg His Ile Tyr Phe Phe Ser Ala Arg Gly Arg Ile Asp Pro Leu	
245 250 255	
gta tat ttg gat gaa ttt ttg agg aat tct gaa cca gtc cta aaa cga	816
Val Tyr Leu Asp Glu Phe Leu Arg Asn Ser Glu Pro Val Leu Lys Arg	
260 265 270	
gta aat agg acc ggc aat tct tca agc aac aaa cag gaa tac caa tta	864
Val Asn Arg Thr Gly Asn Ser Ser Ser Asn Lys Gln Glu Tyr Gln Leu	
275 280 285	
tta aaa gat aac tta gtc aga tcg tac aac aag gct ttg aag aaa aat	912
Leu Lys Asp Asn Leu Val Arg Ser Tyr Asn Lys Ala Leu Lys Lys Asn	
290 295 300	
gcg cct tat cca atc ttt gct ata aag aat ggc cca aaa tct cac att	960
Ala Pro Tyr Pro Ile Phe Ala Ile Lys Asn Gly Pro Lys Ser His Ile	
305 310 315 320	
gga aga cat ttg atg acc tca ttt ctg tca atg aag ggc cta acg gag	1008
Gly Arg His Leu Met Thr Ser Phe Leu Ser Met Lys Gly Leu Thr Glu	
325 330 335	
ttg act aat gtt gtg gga aat tgg agc gat aag cgt gct tct gcc gtg	1056
Leu Thr Asn Val Val Gly Asn Trp Ser Asp Lys Arg Ala Ser Ala Val	
340 345 350	
gcc agg aca acg tat act cat cag ata aca gca ata cct gat cac tac	1104
Ala Arg Thr Thr Tyr Thr His Gln Ile Thr Ala Ile Pro Asp His Tyr	
355 360 365	
ttc gca cta gtt tct cgg tac tat gca tat gat cca ata tca aag gaa	1152
Phe Ala Leu Val Ser Arg Tyr Tyr Ala Tyr Asp Pro Ile Ser Lys Glu	
370 375 380	
atg ata gca ttg aag gat gag act aat cca att gag gag tgg cag cat	1200
Met Ile Ala Leu Lys Asp Glu Thr Asn Pro Ile Glu Glu Trp Gln His	
385 390 395 400	
ata gaa cag cta aag ggt agt gct gaa gga agc ata cga tac ccc gca	1248
Ile Glu Gln Leu Lys Gly Ser Ala Glu Gly Ser Ile Arg Tyr Pro Ala	
405 410 415	

tgg aat ggg ata ata tca cag gag gta cta gac tac ctt tca tcc tac 1296
 Trp Asn Gly Ile Ile Ser Gln Glu Val Leu Asp Tyr Leu Ser Ser Tyr
 420 425 430

ata aat aga cgc ata taatga 1317
 Ile Asn Arg Arg Ile
 435

<210> 4

<211> 437

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein TAT-Flpe

<400> 4

Met Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly Met Ser
 1 5 10 15

Gln Phe Asp Ile Leu Cys Lys Thr Pro Pro Lys Val Leu Val Arg Gln
 20 25 30

Phe Val Glu Arg Phe Glu Arg Pro Ser Gly Glu Lys Ile Ala Ser Cys
 35 40 45

Ala Ala Glu Leu Thr Tyr Leu Cys Trp Met Ile Thr His Asn Gly Thr
 50 55 60

Ala Ile Lys Arg Ala Thr Phe Met Ser Tyr Asn Thr Ile Ile Ser Asn
 65 70 75 80

Ser Leu Ser Phe Asp Ile Val Asn Lys Ser Leu Gln Phe Lys Tyr Lys
 85 90 95

Thr Gln Lys Ala Thr Ile Leu Glu Ala Ser Leu Lys Lys Leu Ile Pro
 100 105 110

Ala Trp Glu Phe Thr Ile Ile Pro Tyr Asn Gly Gln Lys His Gln Ser
 115 120 125

Asp Ile Thr Asp Ile Val Ser Ser Leu Gln Leu Gln Phe Glu Ser Ser
 130 135 140

Glu Glu Ala Asp Lys Gly Asn Ser His Ser Lys Lys Met Leu Lys Ala
 145 150 155 160

Leu Leu Ser Glu Gly Glu Ser Ile Trp Glu Ile Thr Glu Lys Ile Leu
 165 170 175

Asn Ser Phe Glu Tyr Thr Ser Arg Phe Thr Lys Thr Lys Thr Leu Tyr
 180 185 190

Gln Phe Leu Phe Leu Ala Thr Phe Ile Asn Cys Gly Arg Phe Ser Asp
 195 200 205

Ile Lys Asn Val Asp Pro Lys Ser Phe Lys Leu Val Gln Asn Lys Tyr
 210 215 220

Leu Gly Val Ile Ile Gln Cys Leu Val Thr Glu Thr Lys Thr Ser Val
 225 230 235 240

Ser Arg His Ile Tyr Phe Phe Ser Ala Arg Gly Arg Ile Asp Pro Leu
 245 250 255
 Val Tyr Leu Asp Glu Phe Leu Arg Asn Ser Glu Pro Val Leu Lys Arg
 260 265 270
 Val Asn Arg Thr Gly Asn Ser Ser Ser Asn Lys Gln Glu Tyr Gln Leu
 275 280 285
 Leu Lys Asp Asn Leu Val Arg Ser Tyr Asn Lys Ala Leu Lys Lys Asn
 290 295 300
 Ala Pro Tyr Pro Ile Phe Ala Ile Lys Asn Gly Pro Lys Ser His Ile
 305 310 315 320
 Gly Arg His Leu Met Thr Ser Phe Leu Ser Met Lys Gly Leu Thr Glu
 325 330 335
 Leu Thr Asn Val Val Gly Asn Trp Ser Asp Lys Arg Ala Ser Ala Val
 340 345 350
 Ala Arg Thr Thr Tyr Thr His Gln Ile Thr Ala Ile Pro Asp His Tyr
 355 360 365
 Phe Ala Leu Val Ser Arg Tyr Tyr Ala Tyr Asp Pro Ile Ser Lys Glu
 370 375 380
 Met Ile Ala Leu Lys Asp Glu Thr Asn Pro Ile Glu Glu Trp Gln His
 385 390 395 400
 Ile Glu Gln Leu Lys Gly Ser Ala Glu Gly Ser Ile Arg Tyr Pro Ala
 405 410 415
 Trp Asn Gly Ile Ile Ser Gln Glu Val Leu Asp Tyr Leu Ser Ser Tyr
 420 425 430
 Ile Asn Arg Arg Ile
 435

<210> 5

<211> 2004

<212> DNA

<213> Artificial Sequence

<220>

 <223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein VP22-Cre

<220>

<221> CDS

<222> (1)..(2001)

<400> 5

atg acc tct cgc cgc tcc gtg aag tcg ggt ccg cgg gag gtt ccg cgc 48
 Met Thr Ser Arg Arg Ser Val Lys Ser Gly Pro Arg Glu Val Pro Arg
 1 5 10 15
 gat gag tac gag gat ctg tac tac acc ccg tct tca ggt atg gcg agt 96
 Asp Glu Tyr Glu Asp Leu Tyr Tyr Thr Pro Ser Ser Gly Met Ala Ser
 20 25 30

ccc gat agt ccg cct gac acc tcc cgc cgt ggc gcc cta cag aca cgc	144
Pro Asp Ser Pro Pro Asp Thr Ser Arg Arg Gly Ala Leu Gln Thr Arg	
35 40 45	
tcg cgc cag agg ggc gag gtc cgt ttc gtc cag tac gac gag tcg gat	192
Ser Arg Gln Arg Gly Glu Val Arg Phe Val Gln Tyr Asp Glu Ser Asp	
50 55 60	
tat gcc ctc tac ggg ggc tcg tct tcc gaa gac gac gaa cac ccg gag	240
Tyr Ala Leu Tyr Gly Gly Ser Ser Ser Glu Asp Asp Glu His Pro Glu	
65 70 75 80	
gtc ccc cgg acg cgg cgt ccc gtt tcc ggg gcg gtt ttg tcc ggc ccg	288
Val Pro Arg Thr Arg Arg Pro Val Ser Gly Ala Val Leu Ser Gly Pro	
85 90 95	
ggg cct gcg cgg gcg cct ccg cca ccc gct ggg tcc gga ggg gcc gga	336
Gly Pro Ala Arg Ala Pro Pro Pro Pro Ala Gly Ser Gly Gly Ala Gly	
100 105 110	
cgc aca ccc acc acc gcc ccc cgg gcc ccc cga acc cag cgg gtg gcg	384
Arg Thr Pro Thr Thr Ala Pro Arg Ala Pro Arg Thr Gln Arg Val Ala	
115 120 125	
act aag gcc ccc gcg gcc ccg gcg gcg gag acc acc cgc ggc agg aaa	432
Thr Lys Ala Pro Ala Ala Pro Ala Ala Glu Thr Thr Arg Gly Arg Lys	
130 135 140	
tcg gcc cag cca gaa tcc gcc gca ctc cca gac gcc ccc gcg tcg acg	480
Ser Ala Gln Pro Glu Ser Ala Ala Leu Pro Asp Ala Pro Ala Ser Thr	
145 150 155 160	
gcg cca acc cga tcc aag aca ccc gcg cag ggg ctg gcc aga aag ctg	528
Ala Pro Thr Arg Ser Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu	
165 170 175	
cac ttt agc acc gcc ccc cca aac ccc gac gcg cca tgg acc ccc cgg	576
His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg	
180 185 190	
gtg gcc ggc ttt aac aag cgc gtc ttc tgc gcc gcg gtc ggg cgc ctg	624
Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu	
195 200 205	
gcg gcc atg cat gcc cgg atg gcg gcg gtc cag ctc tgg gac atg tcg	672
Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser	
210 215 220	
cgt ccg cgc aca gac gaa gac ctc aac gaa ctc ctt ggc atc acc acc	720
Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr	
225 230 235 240	
atc cgc gtg acg gtc tgc gag ggc aaa aac ctg ctt cag cgc gcc aac	768
Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn	
245 250 255	
gag ttg gtg aat cca gac gtg gtg cag gac gtc gac gcg gcc acg gcg	816
Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala	
260 265 270	
act cga ggg cgt tct gcg gcg tcg cgc ccc acc gag cga cct cga gcc	864
Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala	
275 280 285	

cca gcc cgc tcc gct tct cgc ccc aga cgg ccc gtc gag ggt acc gag	912
Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu	
290 295 300	
ctc gga tcc act agt cca gtg tgg tgg aat tct gca gat atc cag cac	960
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His	
305 310 315 320	
agt ggc ggc cgc atg tcc aat tta ctg acc gta cac caa aat ttg cct	1008
Ser Gly Gly Arg Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro	
325 330 335	
gca tta ccg gtc gat gca acg agt gat gag gtt cgc aag aac ctg atg	1056
Ala Leu Pro Val Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met	
340 345 350	
gac atg ttc agg gat cgc cag gcg ttt tct gag cat acc tgg aaa atg	1104
Asp Met Phe Arg Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met	
355 360 365	
ctt ctg tcc gtt tgc cgg tcg tgg gcg gca tgg tgc aag ttg aat aac	1152
Leu Leu Ser Val Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn	
370 375 380	
cgg aaa tgg ttt ccc gca gaa cct gaa gat gtt cgc gat tat ctt cta	1200
Arg Lys Trp Phe Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu	
385 390 395 400	
tat ctt cag gcg cgc ggt ctg gca gta aaa act atc cag caa cat ttg	1248
Tyr Leu Gln Ala Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu	
405 410 415	
ggc cag cta aac atg ctt cat cgt cgg tcc ggg ctg cca cga cca agt	1296
Gly Gln Leu Asn Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser	
420 425 430	
gac agc aat gct gtt tca ctg gtt atg cgg cgg atc cga aaa gaa aac	1344
Asp Ser Asn Ala Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn	
435 440 445	
gtt gat gcc ggt gaa cgt gca aaa cag gct cta gcg ttc gaa cgc act	1392
Val Asp Ala Gly Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr	
450 455 460	
gat ttc gac cag gtt cgt tca ctc atg gaa aat agc gat cgc tgc cag	1440
Asp Phe Asp Gln Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln	
465 470 475 480	
gat ata cgt aat ctg gca ttt ctg ggg att gct tat aac acc ctg tta	1488
Asp Ile Arg Asn Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu	
485 490 495	
cgt ata gcc gaa att gcc agg atc agg gtt aaa gat atc tca cgt act	1536
Arg Ile Ala Glu Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr	
500 505 510	
gac ggt ggg aga atg tta atc cat att ggc aga acg aaa acg ctg gtt	1584
Asp Gly Gly Arg Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val	
515 520 525	
agc acc gca ggt gta gag aag gca ctt agc ctg ggg gta act aaa ctg	1632
Ser Thr Ala Gly Val Glu Lys Ala Leu S r Leu Gly Val Thr Lys L u	
530 535 540	

gtc gag cga tgg att tcc gtc tct ggt gta gct gat gat ccg aat aac 1680
 Val Glu Arg Trp Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn 560
 545 550 555

tac ctg ttt tgc cgg gtc aga aaa aat ggt gtt gcc gcg cca tct gcc 1728
 Tyr Leu Phe Cys Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala 575
 565 570

acc agc cag cta tca act cgc gcc ctg gaa ggg att ttt gaa gca act 1776
 Thr Ser Gln Leu Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr 590
 580 585

cat cga ttg att tac ggc gct aag gat gac tct ggt cag aga tac ctg 1824
 His Arg Leu Ile Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu 605
 595 600

gcc tgg tct gga cac agt gcc cgt gtc gga gcc gcg cga gat atg gcc 1872
 Ala Trp Ser Gly His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala 620
 610 615

cgc gct gga gtt tca ata ccg gag atc atg caa gct ggt ggc tgg acc 1920
 Arg Ala Gly Val Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr 640
 625 630 635

aat gta aat att gtc atg aac tat atc cgt aac ctg gat agt gaa aca 1968
 Asn Val Asn Ile Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr 655
 645 650

ggg gca atg gtg cgc ctg ctg gaa gat ggc gat tag 2004
 Gly Ala Met Val Arg Leu Leu Glu Asp Gly Asp 665
 660

<210> 6

<211> 667

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein VP22-Cre

<400> 6

Met Thr Ser Arg Arg Ser Val Lys Ser Gly Pro Arg Glu Val Pro Arg
 1 5 10 15

Asp Glu Tyr Glu Asp Leu Tyr Tyr Thr Pro Ser Ser Gly Met Ala Ser
 20 25 30

Pro Asp Ser Pro Pro Asp Thr Ser Arg Arg Gly Ala Leu Gln Thr Arg
 35 40 45

Ser Arg Gln Arg Gly Glu Val Arg Phe Val Gln Tyr Asp Glu Ser Asp
 50 55 60

Tyr Ala Leu Tyr Gly Gly Ser Ser Ser Glu Asp Asp Glu His Pro Glu
 65 70 75 80

Val Pro Arg Thr Arg Arg Pro Val Ser Gly Ala Val Leu Ser Gly Pro
 85 90 95

Gly Pro Ala Arg Ala Pro Pro Pro Pro Ala Gly Ser Gly Gly Ala Gly
 100 105 110

Arg Thr Pro Thr Thr Ala Pro Arg Ala Pro Arg Thr Gln Arg Val Ala
 115 120 125

Thr Lys Ala Pro Ala Ala Pro Ala Ala Glu Thr Thr Arg Gly Arg Lys
 130 135 140
 Ser Ala Gln Pro Glu Ser Ala Ala Leu Pro Asp Ala Pro Ala Ser Thr
 145 150 155 160
 Ala Pro Thr Arg Ser Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu
 165 170 175
 His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg
 180 185 190
 Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu
 195 200 205
 Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser
 210 215 220
 Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr
 225 230 235 240
 Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn
 245 250 255
 Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala
 260 265 270
 Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala
 275 280 285
 Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu
 290 295 300
 Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His
 305 310 315 320
 Ser Gly Gly Arg Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro
 325 330 335
 Ala Leu Pro Val Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met
 340 345 350
 Asp Met Phe Arg Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met
 355 360 365
 Leu Leu Ser Val Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn
 370 375 380
 Arg Lys Trp Phe Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu
 385 390 395 400
 Tyr Leu Gln Ala Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu
 405 410 415
 Gly Gln Leu Asn Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser
 420 425 430
 Asp Ser Asn Ala Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn
 435 440 445
 Val Asp Ala Gly Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr
 450 455 460

37

Asp Phe Asp Gln Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln
 465 470 475 480
 Asp Ile Arg Asn Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu
 485 490 495
 Arg Ile Ala Glu Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr
 500 505 510
 Asp Gly Gly Arg Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val
 515 520 525
 Ser Thr Ala Gly Val Glu Lys Ala Leu Ser Leu Gly Val Thr Lys Leu
 530 535 540
 Val Glu Arg Trp Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn
 545 550 555 560
 Tyr Leu Phe Cys Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala
 565 570 575
 Thr Ser Gln Leu Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr
 580 585 590
 His Arg Leu Ile Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu
 595 600 605
 Ala Trp Ser Gly His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala
 610 615 620
 Arg Ala Gly Val Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr
 625 630 635 640
 Asn Val Asn Ile Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr
 645 650 655
 Gly Ala Met Val Arg Leu Leu Glu Asp Gly Asp
 660 665

<210> 7

<211> 2247

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein VP22-Flpe

<220>

<221> CDS

<222> (1)..(2241)

<400> 7

atg acc tct cgc cgc tcc gtg aag tgc ggt ccg cgg gag gtt ccg cgc 48
 Met Thr Ser Arg Arg Ser Val Lys Ser Gly Pro Arg Glu Val Pro Arg
 1 5 10 15
 gat gag tac gag gat ctg tac tac acc ccg tct tca ggt atg gcg agt 96
 Asp Glu Tyr Glu Asp Leu Tyr Tyr Thr Pro Ser Ser Gly Met Ala Ser
 20 25 30

ccc gat agt ccg cct gac acc tcc cgc cgt ggc gcc cta cag aca cgc	144
Pro Asp Ser Pro Pro Asp Thr Ser Arg Arg Gly Ala Leu Gln Thr Arg	
35 40 45	
tcg cgc cag agg ggc gag gtc cgt ttc gtc cag tac gac gag tcg gat	192
Ser Arg Gln Arg Gly Glu Val Arg Phe Val Gln Tyr Asp Glu Ser Asp	
50 55 60	
tat gcc ctc tac ggg ggc tcg tct tcc gaa gac gac gaa cac ccg gag	240
Tyr Ala Leu Tyr Gly Gly Ser Ser Ser Glu Asp Asp Glu His Pro Glu	
65 70 75 80	
gtc ccc cgg acg ccg cgt ccc gtt tcc ggg gcg gtt ttg tcc ggc ccg	288
Val Pro Arg Thr Arg Pro Val Ser Gly Ala Val Leu Ser Gly Pro	
85 90 95	
ggg cct gcg ccg gcg cct ccg cca ccc gct ggg tcc gga ggg gcc gga	336
Gly Pro Ala Arg Ala Pro Pro Pro Ala Gly Ser Gly Gly Ala Gly	
100 105 110	
cgc aca ccc acc acc gcc ccc ccg gcc ccc cga acc cag ccg gtg gcg	384
Arg Thr Pro Thr Thr Ala Pro Arg Ala Pro Arg Thr Gln Arg Val Ala	
115 120 125	
act aag gcc ccc gcg gcc ccg gcg gcg gag acc acc cgc ggc agg aaa	432
Thr Lys Ala Pro Ala Ala Pro Ala Ala Glu Thr Thr Arg Gly Arg Lys	
130 135 140	
tcg gcc cag cca gaa tcc gcc gca ctc cca gac gcc ccc gcg tcg acg	480
Ser Ala Gln Pro Glu Ser Ala Ala Leu Pro Asp Ala Pro Ala Ser Thr	
145 150 155 160	
gcg cca acc cga tcc aag aca ccc gcg cag ggg ctg gcc aga aag ctg	528
Ala Pro Thr Arg Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu	
165 170 175	
cac ttt agc acc gcc ccc cca aac ccc gac gcg cca tgg acc ccc ccg	576
His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg	
180 185 190	
gtg gcc ggc ttt aac aag ccg gtc ttc tgc gcc gcg gtc ggg ccg ctg	624
Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu	
195 200 205	
gcg gcc atg cat gcc ccg atg gcg gcg gtc cag ctc tgg gac atg tcg	672
Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser	
210 215 220	
cgt ccg ccg aca gac gaa gac ctc aac gaa ctc ctt ggc atc acc acc	720
Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr	
225 230 235 240	
atc cgc gtg acg gtc tgc gag ggc aaa aac ctg ctt cag ccg gcc aac	768
Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn	
245 250 255	
gag ttg gtg aat cca gac gtg gtg cag gac gtc gac gcg gcc acg gcg	816
Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala	
260 265 270	
act cga ggg cgt tct gcg gcg tcg ccg ccc acc gag cga cct cga gcc	864
Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala	
275 280 285	

cca gcc cgc tcc gct tct cgc ccc aga cgg ccc gtc gag ggt acc gag	912
Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu	
290 295 300	
ctc gga tcc act agt cca gtg tgg tgg aat tct gca gat atc cag cac	960
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His	
305 310 315 320	
agt ggc ggc cgc atg agt caa ttt gat ata tta tgt aaa aca cca cct	1008
Ser Gly Gly Arg Met Ser Gln Phe Asp Ile Leu Cys Lys Thr Pro Pro	
325 330 335	
aag gtc ctg gtt cgt cag ttt gtg gaa agg ttt gaa aga cct tca ggg	1056
Lys Val Leu Val Arg Gln Phe Val Glu Arg Phe Glu Arg Pro Ser Gly	
340 345 350	
gaa aaa ata gca tca tgt gct gct gaa cta acc tat tta tgt tgg atg	1104
Glu Lys Ile Ala Ser Cys Ala Ala Glu Leu Thr Tyr Leu Cys Trp Met	
355 360 365	
att act cat aac gga aca gca atc aag aga gcc aca ttc atg agc tat	1152
Ile Thr His Asn Gly Thr Ala Ile Lys Arg Ala Thr Phe Met Ser Tyr	
370 375 380	
aat act atc ata agc aat tcg ctg agt ttc gat att gtc aac aaa tca	1200
Asn Thr Ile Ile Ser Asn Ser Leu Ser Phe Asp Ile Val Asn Lys Ser	
385 390 395 400	
ctc cag ttt aaa tac aag acg caa aaa gca aca att ctg gaa gcc tca	1248
Leu Gln Phe Lys Tyr Lys Thr Gln Lys Ala Thr Ile Leu Glu Ala Ser	
405 410 415	
tta aag aaa tta att cct gct tgg gaa ttt aca att att cct tac aat	1296
Leu Lys Lys Leu Ile Pro Ala Trp Glu Phe Thr Ile Ile Pro Tyr Asn	
420 425 430	
gga caa aaa cat caa tct gat atc act gat att gta agt agt ttg caa	1344
Gly Gln Lys His Gln Ser Asp Ile Thr Asp Ile Val Ser Ser Leu Gln	
435 440 445	
tta cag ttc gaa tca tcg gaa gaa gca gat aag gga aat agc cac agt	1392
Leu Gln Phe Glu Ser Ser Glu Glu Ala Asp Lys Gly Asn Ser His Ser	
450 455 460	
aaa aaa atg ctt aaa gca ctt cta agt gag ggt gaa agc atc tgg gag	1440
Lys Lys Met Leu Lys Ala Leu Leu Ser Glu Gly Glu Ser Ile Trp Glu	
465 470 475 480	
atc act gag aaa ata cta aat tcg ttt gag tat acc tcg aga ttt aca	1488
Ile Thr Glu Lys Ile Leu Asn Ser Phe Glu Tyr Thr Ser Arg Phe Thr	
485 490 495	
aaa aca aaa act tta tac caa ttc ctc ttc cta gct act ttc atc aat	1536
Lys Thr Lys Thr Leu Tyr Gln Phe Leu Phe Leu Ala Thr Phe Ile Asn	
500 505 510	
tgt gga aga ttc agc gat att aag aac gtt gat ccg aaa tca ttt aaa	1584
Cys Gly Arg Phe Ser Asp Ile Lys Asn Val Asp Pro Lys Ser Phe Lys	
515 520 525	
tta gtc caa aat aag tat ctg gga gta ata atc cag tgt tta gtg aca	1632
Leu Val Gln Asn Lys Tyr Leu Gly Val Ile Ile Gln Cys Leu Val Thr	
530 535 540	

gag aca aag aca agc gtt agt agg cac ata tac ttc ttt agc gca agg 1680
 Glu Thr Lys Thr Ser Val Ser Arg His Ile Tyr Phe Phe Ser Ala Arg
 545 550 555 560

ggt agg atc gat cca ctt gta tat ttg gat gaa ttt ttg agg aat tct 1728
 Gly Arg Ile Asp Pro Leu Val Tyr Leu Asp Glu Phe Leu Arg Asn Ser
 565 570 575

gaa cca gtc cta aaa cga gta aat agg acc ggc aat tct tca agc aac 1776
 Glu Pro Val Leu Lys Arg Val Asn Arg Thr Gly Asn Ser Ser Ser Asn
 580 585 590

aaa cag gaa tac caa tta tta aaa gat aac tta gtc aga tcg tac aac 1824
 Lys Gln Glu Tyr Gln Leu Leu Lys Asp Asn Leu Val Arg Ser Tyr Asn
 595 600 605

aag gct ttg aag aaa aat gcg cct tat cca atc ttt gct ata aag aat 1872
 Lys Ala Leu Lys Lys Asn Ala Pro Tyr Pro Ile Phe Ala Ile Lys Asn
 610 615 620

ggc cca aaa tct cac att gga aga cat ttg atg acc tca ttt ctg tca 1920
 Gly Pro Lys Ser His Ile Gly Arg His Leu Met Thr Ser Phe Leu Ser
 625 630 635 640

atg aag ggc cta acg gag ttg act aat gtt gtg gga aat tgg agc gat 1968
 Met Lys Gly Leu Thr Glu Leu Thr Asn Val Val Gly Asn Trp Ser Asp
 645 650 655

aag cgt gct tct gcc gtg gcc agg aca acg tat act cat cag ata aca 2016
 Lys Arg Ala Ser Ala Val Ala Arg Thr Thr Tyr Thr His Gln Ile Thr
 660 665 670

gca ata cct gat cac tac ttc gca cta gtt tct cgg tac tat gca tat 2064
 Ala Ile Pro Asp His Tyr Phe Ala Leu Val Ser Arg Tyr Tyr Ala Tyr
 675 680 685

gat cca ata tca aag gaa atg ata gca ttg aag gat gag act aat cca 2112
 Asp Pro Ile Ser Lys Glu Met Ile Ala Leu Lys Asp Glu Thr Asn Pro
 690 695 700

att gag gag tgg cag cat ata gaa cag cta aag ggt agt gct gaa gga 2160
 Ile Glu Glu Trp Gln His Ile Glu Gln Leu Lys Gly Ser Ala Glu Gly
 705 710 715 720

agc ata cga tac ccc gca tgg aat ggg ata ata tca cag gag gta cta 2208
 Ser Ile Arg Tyr Pro Ala Trp Asn Gly Ile Ile Ser Gln Glu Val Leu
 725 730 735

gac tac ctt tca tcc tac ata aat aga cgc ata taatga 2247
 Asp Tyr Leu Ser Ser Tyr Ile Asn Arg Arg Ile
 740 745

<210> 8

<211> 747

<212> PRT

<213> Artificial Sequence

 <223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein VP22-Flpe

<400> 8

 Met Thr Ser Arg Arg Ser Val Lys Ser Gly Pro Arg Glu Val Pro Arg
 1 5 10 15

41

Asp Glu Tyr Glu Asp Leu Tyr Tyr Thr Pro Ser Ser Gly Met Ala Ser
 20 25 30
 Pro Asp Ser Pro Pro Asp Thr Ser Arg Arg Gly Ala Leu Gln Thr Arg
 35 40 45
 Ser Arg Gln Arg Gly Glu Val Arg Phe Val Gln Tyr Asp Glu Ser Asp
 50 55 60
 Tyr Ala Leu Tyr Gly Gly Ser Ser Ser Glu Asp Asp Glu His Pro Glu
 65 70 75 80
 Val Pro Arg Thr Arg Arg Pro Val Ser Gly Ala Val Leu Ser Gly Pro
 85 90 95
 Gly Pro Ala Arg Ala Pro Pro Pro Pro Ala Gly Ser Gly Gly Ala Gly
 100 105 110
 Arg Thr Pro Thr Thr Ala Pro Arg Ala Pro Arg Thr Gln Arg Val Ala
 115 120 125
 Thr Lys Ala Pro Ala Ala Pro Ala Ala Glu Thr Thr Arg Gly Arg Lys
 130 135 140
 Ser Ala Gln Pro Glu Ser Ala Ala Leu Pro Asp Ala Pro Ala Ser Thr
 145 150 155 160
 Ala Pro Thr Arg Ser Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu
 165 170 175
 His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg
 180 185 190
 Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu
 195 200 205
 Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser
 210 215 220
 Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr
 225 230 235 240
 Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn
 245 250 255
 Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala
 260 265 270
 Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala
 275 280 285
 Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu
 290 295 300
 Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His
 305 310 315 320
 Ser Gly Gly Arg Met Ser Gln Phe Asp Ile Leu Cys Lys Thr Pro Pro
 325 330 335
 Lys Val Leu Val Arg Gln Phe Val Glu Arg Phe Glu Arg Pro Ser Gly
 340 345 350

Glu Lys Ile Ala Ser Cys Ala Ala Glu Leu Thr Tyr Leu Cys Trp Met
 355 360 365
 Ile Thr His Asn Gly Thr Ala Ile Lys Arg Ala Thr Phe Met Ser Tyr
 370 375 380
 Asn Thr Ile Ile Ser Asn Ser Leu Ser Phe Asp Ile Val Asn Lys Ser
 385 390 395 400
 Leu Gln Phe Lys Tyr Lys Thr Gln Lys Ala Thr Ile Leu Glu Ala Ser
 405 410 415
 Leu Lys Lys Leu Ile Pro Ala Trp Glu Phe Thr Ile Ile Pro Tyr Asn
 420 425 430
 Gly Gln Lys His Gln Ser Asp Ile Thr Asp Ile Val Ser Ser Leu Gln
 435 440 445
 Leu Gln Phe Glu Ser Ser Glu Glu Ala Asp Lys Gly Asn Ser His Ser
 450 455 460
 Lys Lys Met Leu Lys Ala Leu Leu Ser Glu Gly Glu Ser Ile Trp Glu
 465 470 475 480
 Ile Thr Glu Lys Ile Leu Asn Ser Phe Glu Tyr Thr Ser Arg Phe Thr
 485 490 495
 Lys Thr Lys Thr Leu Tyr Gln Phe Leu Phe Leu Ala Thr Phe Ile Asn
 500 505 510
 Cys Gly Arg Phe Ser Asp Ile Lys Asn Val Asp Pro Lys Ser Phe Lys
 515 520 525
 Leu Val Gln Asn Lys Tyr Leu Gly Val Ile Ile Gln Cys Leu Val Thr
 530 535 540
 Glu Thr Lys Thr Ser Val Ser Arg His Ile Tyr Phe Phe Ser Ala Arg
 545 550 555 560
 Gly Arg Ile Asp Pro Leu Val Tyr Leu Asp Glu Phe Leu Arg Asn Ser
 565 570 575
 Glu Pro Val Leu Lys Arg Val Asn Arg Thr Gly Asn Ser Ser Ser Asn
 580 585 590
 Lys Gln Glu Tyr Gln Leu Leu Lys Asp Asn Leu Val Arg Ser Tyr Asn
 595 600 605
 Lys Ala Leu Lys Lys Asn Ala Pro Tyr Pro Ile Phe Ala Ile Lys Asn
 610 615 620
 Gly Pro Lys Ser His Ile Gly Arg His Leu Met Thr Ser Phe Leu Ser
 625 630 635 640
 Met Lys Gly Leu Thr Glu Leu Thr Asn Val Val Gly Asn Trp Ser Asp
 645 650 655
 Lys Arg Ala Ser Ala Val Ala Arg Thr Thr Tyr Thr His Gln Ile Thr
 660 665 670
 Ala Ile Pro Asp His Tyr Phe Ala Leu Val Ser Arg Tyr Tyr Ala Tyr
 675 680 685

43

Asp Pro Ile Ser Lys Glu Met Ile Ala Leu Lys Asp Glu Thr Asn Pro
 690 695 700

Ile Glu Glu Trp Gln His Ile Glu Gln Leu Lys Gly Ser Ala Glu Gly
 705 710 715 720

Ser Ile Arg Tyr Pro Ala Trp Asn Gly Ile Ile Ser Gln Glu Val Leu
 725 730 735

Asp Tyr Leu Ser Ser Tyr Ile Asn Arg Arg Ile
 740 745

<210> 9
 <211> 33
 <212> DNA
 <213> Human immunodeficiency virus

<400> 9
 tacggcgca agaagcgccg ccaacgccgc cgc

33

<210> 10
 <211> 11
 <212> PRT
 <213> Human immunodeficiency virus

<400> 10
 Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 1 5 10

<210> 11
 <211> 42
 <212> DNA
 <213> Human immunodeficiency virus

<220>
 <221> CDS
 <222> (4)..(42)

<400> 11
 atg ggc tac ggc cgc aag aag cgc cgc caa cgc cgc cgc ggc
 Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly
 1 5 10

42

<210> 12
 <211> 13
 <212> PRT
 <213> Human immunodeficiency virus

<400> 12
 Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly
 1 5 10

<210> 13
 <211> 1623
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: DNA sequence
coding for a fusion protein deltaVP22cre-StrepTag

<220>

<221> CDS

<222> (1)..(1617)

<400> 13

```

atg gct agc atg act ggt gga cag caa atg ggt cgg gat ccg tcg acg      48
Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg Asp Pro Ser Thr
   1             5             10             15

gcg cca acc cga tcc aag aca ccc gcg cag ggg ctg gcc aga aag ctg      96
Ala Pro Thr Arg Ser Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu
             20             25             30

cac ttt agc acc gcc ccc cca aac ccc gac gcg cca tgg acc ccc cgg      144
His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg
             35             40             45

gtg gcc ggc ttt aac aag cgc gtc ttc tgc gcc gcg gtc ggg cgc ctg      192
Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu
   50             55             60

gcg gcc atg cat gcc cgg atg gcg gct gtc cag ctc tgg gac atg tcg      240
Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser
   65             70             75             80

cgt ccg cgc aca gac gaa gac ctc aac gaa ctc ctt ggc atc acc acc      288
Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr
             85             90             95

atc cgc gtg acg gtc tgc gag ggc aaa aac ctg ctt cag cgc gcc aac      336
Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn
             100             105             110

gag ttg gtg aat cca gac gtg gtg cag gac gtc gac gcg gcc acg gcg      384
Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala
             115             120             125

act cga ggg cgt tct gcg gcg tcg cgc ccc acc gag cga cct cga gcc      432
Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala
             130             135             140

cca gcc cgc tcc gct tct cgc ccc aga cgg ccc gtc gag ggt acc gag      480
Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu
             145             150             155             160

ctc gga tcc act agt cca gtg tgg tgg aat tct gca gat atc cag cac      528
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His
             165             170             175

agt ggc ggc cgc atg tcc aat tta ctg acc gta cac caa aat ttg cct      576
Ser Gly Gly Arg Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro
             180             185             190

gca tta ccg gtc gat gca acg agt gat gag gtt cgc aag aac ctg atg      624
Ala Leu Pro Val Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met
             195             200             205

gac atg ttc agg gat cgc cag gcg ttt tct gag cat acc tgg aaa atg      672
Asp Met Phe Arg Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met
             210             215             220

```

45

ctt ctg tcc gtt tgc cgg tgc tgg gcg gca tgg tgc aag ttg aat aac	720
Leu Leu Ser Val Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn	
225 230 235 240	
cgg aaa tgg ttt ccc gca gaa cct gaa gat gtt cgc gat tat ctt cta	768
Arg Lys Trp Phe Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu	
245 250 255	
tat ctt cag gcg cgc ggt ctg gca gta aaa act atc cag caa cat ttg	816
Tyr Leu Gln Ala Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu	
260 265 270	
ggc cag cta aac atg ctt cat cgt cgg tcc ggg ctg cca cga cca agt	864
Gly Gln Leu Asn Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser	
275 280 285	
gac agc aat gct gtt tca ctg gtt atg cgg cgg atc cga aaa gaa aac	912
Asp Ser Asn Ala Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn	
290 295 300	
gtt gat gcc ggt gaa cgt gca aaa cag gct cta gcg ttc gaa cgc act	960
Val Asp Ala Gly Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr	
305 310 315 320	
gat ttc gac cag gtt cgt tca ctc atg gaa aat agc gat cgc tgc cag	1008
Asp Phe Asp Gln Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln	
325 330 335	
gat ata cgt aat ctg gca ttt ctg ggg att gct tat aac acc ctg tta	1056
Asp Ile Arg Asn Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu	
340 345 350	
cgt ata gcc gaa att gcc agg atc agg gtt aaa gat atc tca cgt act	1104
Arg Ile Ala Glu Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr	
355 360 365	
gac ggt ggg aga atg tta atc cat att ggc aga acg aaa acg ctg gtt	1152
Asp Gly Gly Arg Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val	
370 375 380	
agc acc gca ggt gta gag aag gca ctt agc ctg ggg gta act aaa ctg	1200
Ser Thr Ala Gly Val Glu Lys Ala Leu Ser Leu Gly Val Thr Lys Leu	
385 390 395 400	
gtc gag cga tgg att tcc gtc tct ggt gta gct gat gat ccg aat aac	1248
Val Glu Arg Trp Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn	
405 410 415	
tac ctg ttt tgc cgg gtc aga aaa aat ggt gtt gcc gcg cca tct gcc	1296
Tyr Leu Phe Cys Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala	
420 425 430	
acc agc cag cta tca act cgc gcc ctg gaa ggg att ttt gaa gca act	1344
Thr Ser Gln Leu Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr	
435 440 445	
cat cga ttg att tac ggc gct aag gat gac tct ggt cag aga tac ctg	1392
His Arg Leu Ile Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu	
450 455 460	
gcc tgg tct gga cac agt gcc cgt gtc gga gcc gcg cga gat atg gcc	1440
Ala Trp Ser Gly His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala	
465 470 475 480	

46

```

cgc gct gga gtt tca ata ccg gag atc atg caa gct ggt ggc tgg acc 1488
Arg Ala Gly Val Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr
          485                      490                      495

aat gta aat att gtc atg aac tat atc cgt aac ctg gat agt gaa aca 1536
Asn Val Asn Ile Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr
          500                      505                      510

ggg gca atg gtg cgc ctg ctg gaa gat ggc gat ggt atc gaa ggt cgt 1584
Gly Ala Met Val Arg Leu Leu Glu Asp Gly Asp Gly Ile Glu Gly Arg
          515                      520                      525

ggt agc gct tgg cgt cac ccg cag ttc ggt ggt taataa 1623
Gly Ser Ala Trp Arg His Pro Gln Phe Gly Gly
          530                      535

```

<210> 14

<211> 539

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: DNA sequence
coding for a fusion protein deltaVP22cre-StrepTag

<400> 14

```

Met Ala Ser Met Thr Gly Gly Gln Gln Met Gly Arg Asp Pro Ser Thr
  1              5              10              15

```

```

Ala Pro Thr Arg Ser Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu
          20              25              30

```

```

His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg
          35              40              45

```

```

Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu
          50              55              60

```

```

Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser
          65              70              75              80

```

```

Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr
          85              90              95

```

```

Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn
          100              105              110

```

```

Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala
          115              120              125

```

```

Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala
          130              135              140

```

```

Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu
          145              150              155              160

```

```

Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His
          165              170              175

```

```

Ser Gly Gly Arg Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro
          180              185              190

```

```

Ala Leu Pro Val Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met
          195              200              205

```


47

Asp Met Phe Arg Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met
 210 215 220
 Leu Leu Ser Val Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn
 225 230 235 240
 Arg Lys Trp Phe Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu
 245 250 255
 Tyr Leu Gln Ala Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu
 260 265 270
 Gly Gln Leu Asn Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser
 275 280 285
 Asp Ser Asn Ala Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn
 290 295 300
 Val Asp Ala Gly Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr
 305 310 315 320
 Asp Phe Asp Gln Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln
 325 330 335
 Asp Ile Arg Asn Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu
 340 345 350
 Arg Ile Ala Glu Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr
 355 360 365
 Asp Gly Gly Arg Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val
 370 375 380
 Ser Thr Ala Gly Val Glu Lys Ala Leu Ser Leu Gly Val Thr Lys Leu
 385 390 395 400
 Val Glu Arg Trp Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn
 405 410 415
 Tyr Leu Phe Cys Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala
 420 425 430
 Thr Ser Gln Leu Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr
 435 440 445
 His Arg Leu Ile Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu
 450 455 460
 Ala Trp Ser Gly His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala
 465 470 475 480
 Arg Ala Gly Val Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr
 485 490 495
 Asn Val Asn Ile Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr
 500 505 510
 Gly Ala Met Val Arg Leu Leu Glu Asp Gly Asp Gly Ile Glu Gly Arg
 515 520 525
 Gly Ser Ala Trp Arg His Pro Gln Phe Gly Gly
 530 535

<210> 15
 <211> 5953
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: vector
 pCRT7-deltaVPCS

<400> 15
 cgatggattt ccgtctctgg tgtagctgat gatccgaata actacctgtt ttgccgggtc 60
 agaaaaaatg gtgttgccgc gccatctgcc accagccagc tatcaactcg cgccctggaa 120
 gggatttttg aagcaactca tcgattgatt tacggcgcta aggatgactc tggtcagaga 180
 tacctggcct ggtctggaca cagtgcccg gtccgagccg cgcgagatat ggcccgcgct 240
 ggagtttcaa taccggagat catgcaagct ggtggctgga ccaatgtaaa tattgtcatg 300
 aactatatcc gtaacctgga tagtgaaaca ggggcaatgg tgcgcctgct ggaagatggc 360
 gatggtatcg aaggtcgtgg tagcgttgg cgtcaccgc agttcgggtg ttaataagct 420
 tcgaacaaaa actcatctca gaagaggatc tgaatatgca taccggtcat catcaccatc 480
 accattgagt tttgagcaat aactagcata accccttggg gcctctaaac gggctttgag 540
 gggttttttg ctgaaaggag gaactatatc cggatatcca caggacgggt gtggctcgcca 600
 tgatcgcgta gtcgatagt gtcaccaagta gcgaagcgag caggactggg cggcgggcaa 660
 agcggtcgga cagtgtccg agaacgggtg cgcatagaaa ttgcatcaac gcatatagcg 720
 ctagcgcac gccatagtga ctggcgatgc tgcggaatg gacgatatcc cgcaagaggc 780
 ccggcagtac cggcataacc aagcctatgc ctacagcatc cagggtgacg gtgccgagga 840
 tgacgatgag cgcattgtta gatttcatac acgggtgcctg actgcgttag caatttaact 900
 ttgataaact accgcattaa agcttatcga tgataagctg tcaaacatga gaattaattc 960
 ttgaaaaaac tcatcgagca tcaaatgaaa ctgcaattta tcatatcag gattatcaat 1020
 accatatttt tgaaaaagcc gtttctgtaa tgaaggagaa aactcaccga ggcagttcca 1080
 taggatggca agatcctggt atcgggtctgc gattccgact cgtccaacat caatacaacc 1140
 tattaatttc ccctcgtcaa aaataagggt atcaagttag aaatcaccat gagtgcgac 1200
 tgaatccggt gagaatggca aaagcctatg catttcttcc cagacttggt caacaggcca 1260
 gccattacgc tcgtcatcaa aatcactcgc atcaaccaa cggttattca ttcgtgattg 1320
 cgcctgagcg agacgaata cgcgatcgt gttaaaagga caattacaaa caggaatcga 1380
 atgcaaccgg cgcaggaaca ctgccagcgc atcaacaata ttttcacctg aatcaggata 1440
 ttcttctaata acctggaatg ctgttttccc ggggatcgca gtggtgagta accatgcac 1500
 atcaggagta cggataaaat gcttgatggt cgggaagaggc ataaattccg tcagccagtt 1560
 tagtctgacc atctcatctg taacatcatt ggcaacgcta cctttgccat gtttcagaaa 1620
 caactctggc gcctcggtc tccatacaaa tcgatagatt gtcgcacctg attgcccagc 1680
 attatcgca gccatttat acccatataa atcagcatcc atgttggaat ttaatcgcg 1740
 cctcgagcaa gacgtttccc gttgaatatg gtcataaca ccccttgat tactgtttat 1800
 gtaagcagac agttttattg ttcatgacca aaatccctta acgtgagttt tcgttccact 1860
 gagcgtcaga ccccgtagaa aagatcaaag gatcttcttg agatcctttt tttctgcgcg 1920
 taactctgct gttcgaaca aaaaaaccac cgtaccagc ggtggtttgt ttgccggatc 1980
 aagagctacc aactcttttt ccgaaggtaa ctggcttcag cagagcgagc ataccaaaata 2040
 ctgtccttct agtgtagccg tagttaggcc accacttcaa gaactctgta gcaccgccta 2100
 catacctcgc tctgttaatc ctgttaccag tggtgctgc cagtggcgat aagtcgtgtc 2160
 ttaccggggt ggaactcaaga cgatagttac cggataaggc gcagcggtcg ggctgaacgg 2220
 ggggttcgtg cacacagccc agcttgagc gaacgacct caccgaactg agatacctac 2280
 agcgtgagct atgagaaagc gccacgcttc ccgaaggag aaaggcggac aggtatccgg 2340
 taagcggcag ggtcggaaca ggagagcgca cgaggagct tccaggggga aacgcctggt 2400
 atctttatag tcctgtcggg tttcgccacc tctgacttga gcgtcgattt ttgtgatgct 2460
 cgctcagggg gcggagccta tggaaaaacg ccagcaacgc ggccttttta cggttcctgg 2520
 ccttttgcgt gccttttgc tcatgttct ttctgcgtt atccctgat tctgtggata 2580
 accgtattac gccttttgag tgagctgata ccgctcgccg cagccgaacg accgagcgca 2640
 gcgagtcagt gagcgaggaa gcggaagagc gctgatgcg gtattttctc cttacgcac 2700
 tgtgcggtat ttcacaccgc atatatggtg cactctcagt acaatctgct ctgatgcgc 2760
 atagttaagc cagtatacac tccgctatcg ctacgtgact gggtcatggc tgcgcccga 2820
 caccgcgcaa caccgctga ccgcccctga cgggcttgtc tgctcccggc atccgcttac 2880
 agacaagctg tgaccgtctc cgggagctgc atgtgtcaga ggttttcacc gtcacaccg 2940
 aaacgcgcga ggcagctgcg gtaaaagctc tcagcgtggt cgtgaagcga ttcacagatg 3000
 tctgcctggt catccgcgtc cagctcgttg agtttctcca gaagcgttaa tgtctggctt 3060
 ctgataaagc gggccatggt aagggcgggt ttttctggt ttggtcactga tgctccgtg 3120
 taagggggtat ttctgttcac gggggtaatg ataccgatga aacgagagag gatgctcacg 3180
 ataccgggtta ctgatgatga acatgcccgg ttactggaac gttgtgaggg taaacaactg 3240

```

gcgggtatgga tgcggcgagg cagagaaaa atcactcagg gtcaatgccg gcgcttcgtt 3300
aatacagatg taggtgttcc acagggtagc cagcagcatc ctgcgatgca gatccggaac 3360
ataatggtgc agggcgctga cttccgcgtt tccagacttt acgaaacacg gaaaccgaag 3420
accattcatg ttgttgctca ggctgcagac gttttgcagc agcagtcgct tcacgttcgc 3480
tcgcgtatcg gtgattcatt ctgctaacca gtaaggcaac cccgccagcc tagccgggtc 3540
ctcaacgaca ggagcacgat catgcgacac cgtggccagg acccaacgct gcccgagatg 3600
cgccgcgtgc ggctgctgga gatggcgagc gcgatggata tgttctgcca agggttggtt 3660
tgcgcatcca cagttctccg caagaattga ttggctccaa ttcttgaggt ggtgaatccg 3720
ttagcgaggt gccgcgggtt tccattcagg tcgaggtggc ccggtcccat gcaccgcgac 3780
gcaacgcggg gaggcagaca aggtataggg cggcgccatc aatccatgcc aaccggttcc 3840
atgtgctcgc cgaggcgcca taaatcgccg tgacgatcag cgggtccagt atcgaagtta 3900
ggctggttaag agccgcgagc gatccttgaa gctgtccctg atggtcgtca tctacctgcc 3960
tgacagcat ggctgcaac gcgggcatcc cgatgccgcc ggaagcgaga agaatacata 4020
tggggaaggc catccagcct cgcgctcgca acgccagcaa gacgtagccc agcgctcgg 4080
ccgccatgcc ggcgataatg gcctgcttct cgccgaaacg tttggtggcg ggaccagtga 4140
cgaaggcttg agcgagggcg tgcaagattc cgaataccgc aagcgacagg ccgatcatcg 4200
tcgcgtcca gcgaaagcgg tcctcgccga aaatgaccca gagcgctgcc ggcaacctgtc 4260
ctacgagttg catgataaag aagacagtca taagtgcggc gacgatagtc atgccccgcg 4320
cccaccgga ggagctgact gggttgaagg ctctcaagg catcggtcga cgctctccct 4380
tatgcgactc ctgcattagg aagcagccca gtagtaggtt gaggccgttg agcaccgccg 4440
ccgcaaggaa tgggtgcatg aaggagatgg cgcccaacag tccccggcc acggggcctt 4500
ccaccatacc caccgcgaaa caagcgctca tgagccgaa gtggcgagcc cgatcttccc 4560
catcggtgat gtgcggcgata taggcgccag caaccgcacc tgtggcgccg gtgatgccg 4620
ccacgatgcg tccggcgtag aggatcgaga tctcgatccc gcgaaattaa tacgactcac 4680
tatagggaga ccacaacggt ttccctctag aaataatttt gtttaacttt aagaaggaga 4740
tatacatatg gctagcatga ctggtggaca gcaaatgggt cgggatccgt cgacggcgcc 4800
aaccgatcc aagacaccgc cgcaggggct ggccagaaag ctgcacttta gcaccgccc 4860
cccaaacccc gacgcgccat ggaccccccg ggtggccggc tttacaagc gcgtcttctg 4920
cgccgcggtc gggcgccctg cgcccatgca tgcccgatg gcggctgtcc agctctggga 4980
catgtcgcgt ccgcgcacag acgaagacct caacgaactc cttggcatca ccaccatccg 5040
cgtgacggtc tgcgagggca aaaacctgct tcagcgcgcc aacgagttgg tgaatccaga 5100
cgtggtgtag gacgtcgacg cggccacggc gactcgagg cgttctgcg cgctcgccc 5160
caccgagcga cctcgagccc cagcccgctc cgcttctcgc ccagacggc ccgtcgagg 5220
taccgagctc ggatccacta gtccagtgtg gtggaattct gcagatatcc agcacagtgg 5280
cgcccgcatg tccaatttac tgaccgtaca ccaaaatttg cctgcattac cggtcgatgc 5340
aacgagtgat gaggttcgca agaacctgat ggacatgttc agggatcgcc aggcgttttc 5400
tgagcatacc tggaaaatgc ttctgtccgt ttgcccgtcg tggcgggcat ggtgcaagtt 5460
gaataaccgg aaatggtttc ccgcagaacc tgaagatgtt cgcgattatc ttctatatct 5520
tcaggcgcg cgtctggcag taaaaactat ccagcaacat ttgggcccag taaacatgct 5580
tcatcgctcg tccgggctgc cacgaccaag tgacagcaat gctgtttcac tggttatgcg 5640
gcggatccga aaagaaaacg ttgatgccgg tgaacgtgca aaacaggctc tagcgttcga 5700
acgcactgat ttcgaccagg ttcggttact catggaaaat agcgatcgct gccaggtat 5760
acgtaactcg gcaattctgg ggattgttta taacacctg ttacgtatag ccgaaattgc 5820
caggatcagg gttaaagata tctcacgtac tgacgggtgg agaattgtaa tccatattgg 5880
cagaacgaaa acgctggtta gcaccgcagg tgtagagaag gcacttagcc tgggggtaac 5940
taaactggtc gag 5953

```

<210> 16

<211> 4727

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: vector
pT7-TACS

<400> 16

```

atccggatat agttcctcct ttcagcaaaa aaccctctca gaccggttta gaggcccaaa 60
ggggttatgc tagttattgc tcagcggtgg cagcagccaa ctacgcttcc ttccgggctt 120
tgtagcagc cggtatctcag tgggtgggtt ggtggtgctc gactgcccgc gcaagcttat 180
taaccaccga actgcgggtg acgccaagcg ctaccacgac cttcgatacc atcgccatct 240
tccagcaggc gcaccattgc ccctgtttca ctatccaggt tacggatata gttcatgaca 300
atatttatcat tggtcacgac accagcttgc atgatctccg gtattgaaac tccagcgcg 360

```

```

gccatatctc gcgcgggtcc gacacgggca ctgtgtccag accaggccag gtatctctga 420
ccagagtcac ccttagcgcc gtaaatcaat cgatgagttg cttcaaaaat cccttccagg 480
gcgcgagttg atagctggct ggtggcagat ggcgcgccaa caccattttt tctgacccgg 540
caaaacaggt agttattcgg atcatcagct acaccagaga cggaaatcca tctctcgacc 600
agtttagtta cccccaggct aagtgccttc tctacacctg cgggtgctaac cagcgttttc 660
gttctgccaa tatggattaa cattctccca ccgtcagtag gtgagatata ttaaccctg 720
atctggcaca ttccggctat acgtaacagg gtgttataag caatccccag aaatgccaga 780
ttacgtatat cctggcagcg atcgtatatt tccatgagtg aacgaacctg gtcgaaatca 840
gtgcgttcga acgctagagc ctgttttgca cgttcaccgg catcaacggt ttcttttcgg 900
atccgcgcga taaccagtga aacagcattg ctgtcacttg gtcgtggcag cccggaccga 960
cgatgaagca tgtttagctg gcccaaagt tgcgtgtag tttttactgt cagaccgcgc 1020
gctgaagat atagaagata atcgcgaaac tcttcagggt ctgcgggaaa ccatttccgg 1080
ttattcaact tgcacocatg cggccacgac cggcaaacgg acagaagcat tttccaggta 1140
tgctcagaaa acgcctggcg atccctgaac atgtccatca ggttcttgcg aacctcatca 1200
ctcgttgcat cgaccggtaa tgcaggcaaa ttttgggtga cggtcagtaa attggacatg 1260
ccgcggcgcc gttggcgccg cttcttgccg ccgtagccca tggatatctt ccttctttaa 1320
gttaaaca aa attatttcta gagggaaacc gttgtgtct cctatatagt agtcgtatta 1380
atttcgcggg atcgagatct cgggcagcgt tgggtcctgg ccacgggtgc gcatgatcgt 1440
gtcctgtcgt ttgaggaccc ggctaggctg gcggggttgc cttactggtt agcagaatga 1500
atcacogata cgcgagcgaa cgtgaagcga ctgctgtctg aaaacgtctg cgacctgagc 1560
aacaacatga atgggtcttcg gtttccgtgt ttcgtaaagt ctggaaacgc ggaagtgcgc 1620
gccctgcacc attatgttcc ggatctgcac cgcaggatgc tgctggctac cctgtggaac 1680
acctacatct gtattaacga agcgttgga ttgacctga gtgatttttc tctggtcccg 1740
ccgcacccat accgccagtt gtttaccctc acaacgttcc agtaaccggg catgttcac 1800
atcagtaacc cgtatcgtga gcacccctct tcgtttcatc ggtatcatta ccccatgaa 1860
cagaaatccc ccttacacgg aggcacagtg gaccaaacag gaaaaaacgc cccttaacat 1920
ggcccgtttt atcagaagcc agacattaac gcttctggag aaactcaacg agctggacgc 1980
ggatgaacag gcagacatct gtgaatcgct tcacgaccac gctgatgagc tttaccgcag 2040
ctgcctcgcg cgtttcggtg atgacggtga aaacctctga cacatgcagc tcccggagac 2100
ggtcacagct tgtctgtaag cggatgccgg gagcagacaa gcccgtcagg gcgcgtcagc 2160
gggtgttgcc ggggtgcggg gcgcagccat gaccagtcga cgtagcgata gcggagtga 2220
tactggctta actatgcggc atcagagcag attgtactga gagtgcacca tatatgcgg 2280
gtgaaatacc gcacagatgc gtaaggagaa aataccgcac caggcgtctt tccgcttct 2340
cgctcactga ctgcctgcgc tcggtcgttc ggctgcggcg agcggtatca gctcactcaa 2400
aggcggtaat acggttatcc acagaatcag gggataacgc aggaagaac atgtgagcaa 2460
aaggccagca aaaggccagg aaccgtaaaa aggcgcggtt gctggcggtt ttccataggc 2520
tccgcccccc tgacgagcat cacaataatc gacgtcaag tcagaggtgg cgaacccgca 2580
caggactata aagataccag gcgtttcccc ctggaagctc cctcgtgcgc tctcgtgttc 2640
cgacctgcc gcttaccgga tacctgtccg cctttctccc ttcgggaagc gtggcggtt 2700
ctcatagctc acgctgtagg tatctcagtt cgggttaggt cgttcgctcc aagctgggct 2760
gtgtgcacga acccccgtt cagcccgacc gctgcgcctt atccggtaac tatcgtctg 2820
agtccaaccc ggtaaagcac gacttatcgc cactggcagc agccactggt aacagatta 2880
gcagagcgag gttgttaggc ggtgctacag agttcttgaa gtggtggcct aactacggct 2940
acactagaag gacagtattt ggtatctgcg ctctgtgaa gccagttacc ttcggaaaaa 3000
gagttgtag ctcttgatcc ggcaaacaaa ccaccgctgg tagcgttggt tttttgttt 3060
gcaagcagca gattacgcgc agaaaaaaag gatctcaaga agatcctttg atcttttcta 3120
cggggtctga cgtcagtg aacgaaaaact caggttaagg gattttggtc atgagattat 3180
caaaaaggat cttcacctag atccttttaa attaaaaatg aagttttaaa tcaatctaaa 3240
gtatatatga gtaaaacttg tctgacagtt accaatgctt aatcagttag gcacctatct 3300
cagcgatctg tctatttcgt tcatccatag ttgcctgact ccccgctcgt tagataacta 3360
cgatacggga gggcttacca tctggcccca gtgctgcaat gataccgcga gaccacgct 3420
caccggctcc agatttatca gcaataaacc agccagccgg aaggccggag gcgagaagt 3480
gtcctgcac ttatccgcc tccatccagt ctattaattg ttgcccggaa gctagagtaa 3540
gtagttcgcc agttaatagt ttgcgcaacg ttgttgccat tgctgcaggc atcgtggtgt 3600
cacgctcgtc gtttggtatg gcttcattca gctccggttc ccaacgatca agcgagtta 3660
catgatcccc catgttggtc aaaaaagcgg ttagctcctt cggctcctcc atcgttgta 3720
gaagtaagtt ggccgcagtg ttatctctca tgggtatggc agcactgcat aattctctta 3780
ctgtcatgcc atccgtaaga tgcttttctg tgactggtga gtactcaacc aagtcattct 3840
gagaatagtg tatgcggcga ccgagttgct cttgcccggc gtcaatacgg gataataccg 3900
cgccacatag cagaacttta aaagtgtc tcatggaaa acgttcttcg gggcgaaaac 3960
tctcaaggat cttaccgctg ttgagatcca gttcgtatga acccactcgt gcacccaact 4020
gatcttcagc attctttact ttcaccagcg ttctggtg agcaaaaaa ggaaggcaaa 4080
atgcgcgaaa aaaggaata agggcgacac ggaaatgtg aatactcata ctcttcttt 4140
ttcaatatta ttgaagcatt tatcagggtt attgtctcat gagcggatac atatttgaat 4200

```

```

gtatttagaa aaataaacia ataggggttc cgcgcacatt tccccgaaaa gtgccacctg 4260
aaattgtaaa cgtaaatatt ttgttaaaat tcgcgttaaa tttttgttaa atcagctcat 4320
tttttaacca ataggccgaa atcggaacaa tcccttataa atcaaaagaa tagaccgaga 4380
taggggttag tggtgttcca gtttggaaac agagtcactt attaaagaac gtggactcca 4440
acgtcaaagg gcgaaaaacc gtctatcagg gcgatggccc actacgtgaa ccatcacctt 4500
aatcaagttt tttggggtcg aggtgccgta aagcactaaa tcggaaccct aaagggagcc 4560
cccgatntag agcttgacgg ggaagaccgg cgaacgtggc gagaaggaag gggaagaaag 4620
cgaaaggagc gggcgctagg gcgctggcaa gtgtagcggc cacgtgcgcg gtaaccacca 4680
caccgcgcgc gcttaatgcg ccgctacagg gcgcgtccca ttcgcca 4727

```

<210> 17

<211> 4488

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: vector
pT7-VPCS

<400> 17

```

aaatcaatct aaagtatata tgagtaaact tgggttgaca gttaccaatg cttaatcagt 60
gaggcaccta tctcagcgat ctgtctatct cgttcaccca tagttgcctg actccccgtc 120
gtgtagataa ctacgatacg ggagggtcta ccactcggcc ccagtgcctg aatgataccg 180
cgagaccacac gctcacccgc tccagattta tcagcaataa accagccagc cggaagggcc 240
gagcgcagaa gtggtcctgc aactttatcc gcctccatcc agtctattaa ttgttgccgg 300
gaagctagag taagttagtt gccagttaat agtttgccga acgttggtgc cattgctaca 360
ggcatcgtgg tgtcacgctc gtcgtttggt atggttcat tcagctccgg ttcccaacga 420
tcaaggcgag ttacatgatc ccccatgttg tgcaaaaaag cgttagctc ctccggctct 480
ccgatcgttg tcagaagtaa gttggccgca gtgttatcac tcatggttat ggcagcactg 540
cataattctc ttactgtcat gccatccgta agatgctttt ctgtgactgg tgagtactca 600
accaagtcct tctgagaata gtgtatggcg gcacggagtt gctcttgccc ggcgtcaaca 660
cgggataata ccgcgccaca tagcagaact ttaaaagtgc tcatcattgg aaaacgttct 720
tcggggcgaa aactctcaag gatcttaccg ctgttgagat ccagttcgat gtaacccact 780
cgtgcaccca actgatcttc agcatctttt actttcacca gcgtttctgg gtgagcaaaa 840
acaggaaggc aaaaatgccg aaaaaaggga ataaggcgca cacggaaatg ttgaatactc 900
atactcttcc tttttcaata ttattgaagc atttatcagg gttattgtct catgagcgga 960
tacatatttg aatgtattta gaaaaataa caaatagggg ttccgcgcac atttccccga 1020
aaagtgcac ctgacgtcta agaaaccatt attatcatga cattaaccta taaaaatagg 1080
cgtatcacga ggccctttcg tcttcaagaa ttaaaaggat ctagggtgaag atcctttttg 1140
ataatctcat gaccaaaatc ccttaacgtg agttttcggt ccactgagcg tcagaccccg 1200
tagaaaagca caaaggatct tcttgagatc ctttttttct gcgcgtaatc tgctgcttgc 1260
aaacaaaaaa accaccgcta ccagcggtgg tttgtttgcc ggatcaagag ctaccaactc 1320
ttttccgaa ggtaactggc ttacgacag cgacgatacc aaatactgtc cttctagtgt 1380
agccgtagtt aggccaccac ttcaagaact ctgtagcacc gcctacatac ctcgctctgc 1440
taatcctggt accagtggct gctgccagtg gcgataagtc gtgtcttacc gggttggact 1500
caagacgata gttaccggat aaggcgagc ggtcggggtg aacggggggg tctgacacac 1560
agccagcgtt ggagcgaacg acctacaccg aactgagata cctacagcgt gagctatgag 1620
aaagcggcac gcttcccgaa gggagaaaag cggacaggta tccggtaagc ggcaggggtc 1680
gaacaggaga gcgcacgagg gagcttccag ggggaaacgc ctggtatctt tatagtcctg 1740
tcgggtttcg ccacctctga cttgagcgtc gatttttggt atgctcgtca gggggcgga 1800
gcctatggaa aaacgccagc aacgcggcct ttttacgggt cctggccttt tgctggcctt 1860
ttgctcacat gttctttcct gcgttatccc ctgattctgt ggataaccgt attaccgctt 1920
ttgagtgagc tgataccgct cgccgcagcc gaacgaccga gcgcagcgag tcagtgcagc 1980
aggaagcgga agagcgctg atgcggtatt ttctccttac gcatctgtgc ggtatttcac 2040
accgcatcag atctgatggt gcactctcag tacaatctgc tctgatgccg catagttaag 2100
ccagtatata cactccgcta tcgctacgtg actgggtcat ggctgcgccc cgacacccgc 2160
caacacccgc tgacgcgccc tgacgggctt gtctgctccc ggcacccgct tacagacaag 2220
ctgtgaccgt ctccgggagc tgcattgtgc agaggttttc accgtcatca ccgaaacgcg 2280
cgaggccagc cgattcgaac ttctgataga cttcgaaatt aatacgactc actataggga 2340
gaccacaacg gtttccctct agaaataatt ttgtttaact ttaagaagga gatatacata 2400
tgacctctcg ccgctccgtg aagtcgggtc cgcgggaggt tccgcgcgat gagtacgagg 2460
atctgtacta caccctctct tcaggtatgg cagtcocga tagtccgctt gacacctccc 2520
gccgtggcgc cctacagaca cgctcgcgcc agagggcgga ggtccgtttc gtccagtacg 2580

```

```

acgagtcgga ttatgccctc tacgggggct cgtcttccga agacgacgaa caccgggag 2640
tcccccgac gggcggtccc gtttccgggg cggttttgtc cggcccgggg cctgcgcggg 2700
cgctccgcc acccgctggg tccggagggg ccggacgcac acccaccacc gcccccggg 2760
cccccgaaac ccagcggtg gcgtctaagg ccccgcggcg cccggcggcg gagaccacc 2820
gcggcagaa atcggccag ccagaatccg ccgcactccc agacgcccc gcgtcgacgg 2880
cgccaacccg atccaagaca cccgcgaggg ggctggccag aaagctgcac tttagcaccg 2940
ccccccaaa ccccgacgcg ccatggaccc cccgggtggc cggctttaac aagcgctct 3000
tctgcgcgc ggctggggcg ctggcgccca tgcattgccg gatggcggt gtccagctct 3060
gggacatgtc gcgtccgcgc acagacgaag acctcaacga actccttggc atcaccacca 3120
tccgcgtgac ggtctgcgag ggcaaaaacc tgcttcagcg cgccaacgag ttggtgaatc 3180
cagacgtggt gcaggacgtc gacgcggcca cggcgactcg agggcggtct gcggcgctcg 3240
gccccaccga gcgacctcga gccccagccc gctccgcttc tggccccaga cggcccgctg 3300
aggggtaccga gctcggtacc actagtccag tgggtggaa ttctgcagat atccagcaca 3360
gtggcgggcg catgtccaat ttactgaccg tacacaaaa tttgcctgca ttaccggtcg 3420
atgcaacgag tgatgaggt cgcaagaacc tgatggacat gttcagggat cgccaggcgt 3480
tttctgagca taactggaaa atgcttctgt ccggttgccg gtctggggcg gcatggtgca 3540
agttgaataa ccggaaatgg tttcccgag aacctgaaga tgctcgcat tatcttctat 3600
atcttcaggc gcgcggtctg gcagtaaaaa ctatccagca acatttgggc cagctaaaca 3660
tgcttcctcg tcgggtccggg ctgccacgac caagtgcag caatgctgtt tcaactggtt 3720
tcggcgcgat ccgaaaagaa aacgttgat ccggtgaacg tgcaaaacag gctctagcgt 3780
tgaacgcac tgatttcgac caggttcgtt cactcatgga aaatagcgat cgctgccagg 3840
atatacgtaa tctggcattt ctggggattg cttataacac cctgttacgt atagccgaaa 3900
ttgccaggat caggggttaa gatatctcac gtactgacgg tgggagaatg ttaatccata 3960
ttggcagaac gaaaacgctg gttagcaccg caggtgtaga gaaggcactt agcctggggg 4020
taactaaact ggtcgagcga tggatttccg tctctggtgt agctgatgat ccgaataact 4080
acctgttttg ccgggtcaga aaaaatggtg ttgccgcgcc atctgccacc agccagctat 4140
caactcgcgc cctggaaggg atttttgaag caactcatcg attgatttac ggcgctaagg 4200
atgactctgg tcagagatac ctggcctggt ctggacacag tgcccggtgc ggagccgcgc 4260
gagatatggc ccgcgctgga gtttcaatac cggagatcat gcaagctggt ggctggacca 4320
atgtaaataa tgtcatgaac tatatccgta acctggatag tgaaacaggg gcaatggtgc 4380
gctgctgga agatggcgat ggtatcgaag gtctggttag cgcttggcgt caccgcagct 4440
tcggtgggta ataagcttat cgtatgataa ctgtcaaaca tgagaatt 4488

```

<210> 18

<211> 1125

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: DNA sequence coding for a fusion protein TATcreStrepTag

<220>

<221> CDS

<222> (1)..(1119)

<400> 18

```

atg ggc tac ggc cgc aag aag cgc cgc caa cgc cgc cgc ggc atg tcc 48
Met Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly Met Ser
1 5 10 15

```

```

aat tta ctg acc gta cac caa aat ttg cct gca tta ccg gtc gat gca 96
Asn Leu Leu Thr Val His Gln Asn Leu Pro Ala Leu Pro Val Asp Ala
20 25 30

```

```

acg agt gat gag gtt cgc aag aac ctg atg gac atg ttc agg gat cgc 144
Thr Ser Asp Glu Val Arg Lys Asn Leu Met Asp Met Phe Arg Asp Arg
35 40 45

```

```

cag gcg ttt tct gag cat acc tgg aaa atg ctt ctg tcc gtt tgc cgg 192
Gln Ala Phe Ser Glu His Thr Trp Lys Met Leu Leu Ser Val Cys Arg
50 55 60

```

tcg tgg gcg gca tgg tgc aag ttg aat aac cgg aaa tgg ttt ccc gca	240
Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn Arg Lys Trp Phe Pro Ala	
65 70 75 80	
gaa cct gaa gat gtt cgc gat tat ctt cta tat ctt cag gcg cgc ggt	288
Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu Tyr Leu Gln Ala Arg Gly	
85 90 95	
ctg aca gta aaa act atc cag caa cat ttg ggc cag cta aac atg ctt	336
Leu Thr Val Lys Thr Ile Gln Gln His Leu Gly Gln Leu Asn Met Leu	
100 105 110	
cat cgt cgg tcc ggg ctg cca cga cca agt gac agc aat gct gtt tca	384
His Arg Arg Ser Gly Leu Pro Arg Pro Ser Asp Ser Asn Ala Val Ser	
115 120 125	
ctg gtt atg cgg cgg atc cga aaa gaa aac gtt gat gcc ggt gaa cgt	432
Leu Val Met Arg Arg Ile Arg Lys Glu Asn Val Asp Ala Gly Glu Arg	
130 135 140	
gca aaa cag gct cta gcg ttc gaa cgc act gat ttc gac cag gtt cgt	480
Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr Asp Phe Asp Gln Val Arg	
145 150 155 160	
tca ctc atg gaa aat agc gat cgc tgc cag gat ata cgt aat ctg gca	528
Ser Leu Met Glu Asn Ser Asp Arg Cys Gln Asp Ile Arg Asn Leu Ala	
165 170 175	
ttt ctg ggg att gct tat aac acc ctg tta cgt ata gcc gaa att gcc	576
Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu Arg Ile Ala Glu Ile Ala	
180 185 190	
agg atc agg gtt aaa gat atc tca cgt act gac ggt ggg aga atg tta	624
Arg Ile Arg Val Lys Asp Ile Ser Arg Thr Asp Gly Gly Arg Met Leu	
195 200 205	
atc cat att ggc aga acg aaa acg ctg gtt agc acc gca ggt gta gag	672
Ile His Ile Gly Arg Thr Lys Thr Leu Val Ser Thr Ala Gly Val Glu	
210 215 220	
aag gca ctt agc ctg ggg gta act aaa ctg gtc gag cga tgg att tcc	720
Lys Ala Leu Ser Leu Gly Val Thr Lys Leu Val Glu Arg Trp Ile Ser	
225 230 235 240	
gtc tct ggt gta gct gat gat ccg aat aac tac ctg ttt tgc cgg gtc	768
Val Ser Gly Val Ala Asp Asp Pro Asn Asn Tyr Leu Phe Cys Arg Val	
245 250 255	
aga aaa aat ggt gtt gcc gcg cca tct gcc acc agc cag cta tca act	816
Arg Lys Asn Gly Val Ala Ala Pro Ser Ala Thr Ser Gln Leu Ser Thr	
260 265 270	
cgc gcc ctg gaa ggg att ttt gaa gca act cat cga ttg att tac ggc	864
Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr His Arg Leu Ile Tyr Gly	
275 280 285	
gct aag gat gac tct ggt cag aga tac ctg gcc tgg tct gga cac agt	912
Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu Ala Trp Ser Gly His Ser	
290 295 300	
gcc cgt gtc gga gcc gcg cga gat atg gcc cgc gct gga gtt tca ata	960
Ala Arg Val Gly Ala Ala Arg Asp Met Ala Arg Ala Gly Val Ser Ile	
305 310 315 320	

54

ccg gag atc atg caa gct ggt ggc tgg acc aat gta aat att gtc atg 1008
 Pro Glu Ile Met Gln Ala Gly Gly Trp Thr Asn Val Asn Ile Val Met
 325 330 335

aac tat atc cgt aac ctg gat agt gaa aca ggg gca atg gtg cgc ctg 1056
 Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr Gly Ala Met Val Arg Leu
 340 345 350

ctg gaa gat ggc gat ggt atc gaa ggt cgt ggt agc gct tgg cgt cac 1104
 Leu Glu Asp Gly Asp Gly Ile Glu Gly Arg Gly Ser Ala Trp Arg His
 355 360 365

ccg cag ttc ggt ggt taataa 1125
 Pro Gln Phe Gly Gly
 370

<210> 19

<211> 373

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein TATCreStrepTag

<400> 19

Met Gly Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg Gly Met Ser
 1 5 10 15

Asn Leu Leu Thr Val His Gln Asn Leu Pro Ala Leu Pro Val Asp Ala
 20 25 30

Thr Ser Asp Glu Val Arg Lys Asn Leu Met Asp Met Phe Arg Asp Arg
 35 40 45

Gln Ala Phe Ser Glu His Thr Trp Lys Met Leu Leu Ser Val Cys Arg
 50 55 60

Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn Arg Lys Trp Phe Pro Ala
 65 70 75 80

Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu Tyr Leu Gln Ala Arg Gly
 85 90 95

Leu Thr Val Lys Thr Ile Gln Gln His Leu Gly Gln Leu Asn Met Leu
 100 105 110

His Arg Arg Ser Gly Leu Pro Arg Pro Ser Asp Ser Asn Ala Val Ser
 115 120 125

Leu Val Met Arg Arg Ile Arg Lys Glu Asn Val Asp Ala Gly Glu Arg
 130 135 140

Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr Asp Phe Asp Gln Val Arg
 145 150 155 160

Ser Leu Met Glu Asn Ser Asp Arg Cys Gln Asp Ile Arg Asn Leu Ala
 165 170 175

Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu Arg Ile Ala Glu Ile Ala
 180 185 190

Arg Ile Arg Val Lys Asp Ile Ser Arg Thr Asp Gly Gly Arg Met Leu
 195 200 205

55

Ile His Ile Gly Arg Thr Lys Thr Leu Val Ser Thr Ala Gly Val Glu
 210 215 220

Lys Ala Leu Ser Leu Gly Val Thr Lys Leu Val Glu Arg Trp Ile Ser
 225 230 235 240

Val Ser Gly Val Ala Asp Asp Pro Asn Asn Tyr Leu Phe Cys Arg Val
 245 250 255

Arg Lys Asn Gly Val Ala Ala Pro Ser Ala Thr Ser Gln Leu Ser Thr
 260 265 270

Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr His Arg Leu Ile Tyr Gly
 275 280 285

Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu Ala Trp Ser Gly His Ser
 290 295 300

Ala Arg Val Gly Ala Ala Arg Asp Met Ala Arg Ala Gly Val Ser Ile
 305 310 315 320

Pro Glu Ile Met Gln Ala Gly Gly Trp Thr Asn Val Asn Ile Val Met
 325 330 335

Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr Gly Ala Met Val Arg Leu
 340 345 350

Leu Glu Asp Gly Asp Gly Ile Glu Gly Arg Gly Ser Ala Trp Arg His
 355 360 365

Pro Gln Phe Gly Gly
 370

<210> 20

<211> 2055

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: DNA sequence
 coding for a fusion protein VP22creStrepTag

<220>

<221> CDS

<222> (1)..(2049)

<400> 20

atg acc tct cgc cgc tcc gtg aag tcg ggt ccg cgg gag gtt ccg cgc 48
 Met Thr Ser Arg Arg Ser Val Lys Ser Gly Pro Arg Glu Val Pro Arg
 1 5 10 15

gat gag tac gag gat ctg tac tac acc ccg tct tca ggt atg gcg agt 96
 Asp Glu Tyr Glu Asp Leu Tyr Tyr Thr Pro Ser Ser Gly Met Ala Ser
 20 25 30

ccc gat agt ccg cct gac acc tcc cgc cgt ggc gcc cta cag aca cgc 144
 Pro Asp Ser Pro Pro Asp Thr Ser Arg Arg Gly Ala Leu Gln Thr Arg
 35 40 45

tcg cgc cag agg ggc gag gtc cgt ttc gtc cag tac gac gag tcg gat 192
 Ser Arg Gln Arg Gly Glu Val Arg Phe Val Gln Tyr Asp Glu Ser Asp
 50 55 60

56

tat gcc ctc tac ggg ggc tcg tct tcc gaa gac gac gaa cac ccg gag	240
Tyr Ala Leu Tyr Gly Gly Ser Ser Ser Glu Asp Asp Glu His Pro Glu	
65 70 75 80	
gtc ccc cgg acg cgg cgt ccc gtt tcc ggg gcg gtt ttg tcc ggc ccg	288
Val Pro Arg Thr Arg Arg Pro Val Ser Gly Ala Val Leu Ser Gly Pro	
85 90 95	
ggg cct gcg cgg gcg cct ccg cca ccc gct ggg tcc gga ggc gcc gga	336
Gly Pro Ala Arg Ala Pro Pro Pro Ala Gly Ser Gly Gly Ala Gly	
100 105 110	
cgc aca ccc acc acc gcc ccc cgg gcc ccc cga acc cag cgg gtg gcg	384
Arg Thr Pro Thr Thr Ala Pro Arg Ala Pro Arg Thr Gln Arg Val Ala	
115 120 125	
tct aag gcc ccc gcg gcc ccg gcg gcg gag acc acc cgc ggc agg aaa	432
Ser Lys Ala Pro Ala Ala Pro Ala Ala Glu Thr Thr Arg Gly Arg Lys	
130 135 140	
tcg gcc cag cca gaa tcc gcc gca ctc cca gac gcc ccc gcg tcg acg	480
Ser Ala Gln Pro Glu Ser Ala Ala Leu Pro Asp Ala Pro Ala Ser Thr	
145 150 155 160	
gcg cca acc cga tcc aag aca ccc gcg cag ggg ctg gcc aga aag ctg	528
Ala Pro Thr Arg Ser Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu	
165 170 175	
cac ttt agc acc gcc ccc cca aac ccc gac gcg cca tgg acc ccc cgg	576
His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg	
180 185 190	
gtg gcc ggc ttt aac aag cgc gtc ttc tgc gcc gcg gtc ggg cgc ctg	624
Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu	
195 200 205	
gcg gcc atg cat gcc cgg atg gcg gct gtc cag ctc tgg gac atg tcg	672
Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser	
210 215 220	
cgt ccg cgc aca gac gaa gac ctc aac gaa ctc ctt ggc atc acc acc	720
Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr	
225 230 235 240	
atc cgc gtg acg gtc tgc gag ggc aaa aac ctg ctt cag cgc gcc aac	768
Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn	
245 250 255	
gag ttg gtg aat cca gac gtg gtg cag gac gtc gac gcg gcc acg gcg	816
Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala	
260 265 270	
act cga ggg cgt tct gcg gcg tcg cgc ccc acc gag cga cct cga gcc	864
Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala	
275 280 285	
cca gcc cgc tcc gct tct cgc ccc aga cgg ccc gtc gag ggt acc gag	912
Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu	
290 295 300	
ctc gga tcc act agt cca gtg tgg tgg aat tct gca gat atc cag cac	960
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His	
305 310 315 320	

agt ggc ggc cgc atg tcc aat tta ctg acc gta cac caa aat ttg cct	1008
Ser Gly Gly Arg Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro	
325 330 335	
gca tta ccg gtc gat gca acg agt gat gag gtt cgc aag aac ctg atg	1056
Ala Leu Pro Val Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met	
340 345 350	
gac atg ttc agg gat cgc cag gcg ttt tct gag cat acc tgg aaa atg	1104
Asp Met Phe Arg Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met	
355 360 365	
ctt ctg tcc gtt tgc cgg tcg tgg gcg gca tgg tgc aag ttg aat aac	1152
Leu Leu Ser Val Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn	
370 375 380	
cgg aaa tgg ttt ccc gca gaa cct gaa gat gtt cgc gat tat ctt cta	1200
Arg Lys Trp Phe Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu	
385 390 395 400	
tat ctt cag gcg cgc ggt ctg gca gta aaa act atc cag caa cat ttg	1248
Tyr Leu Gln Ala Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu	
405 410 415	
ggc cag cta aac atg ctt cat cgt cgg tcc ggg ctg cca cga cca agt	1296
Gly Gln Leu Asn Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser	
420 425 430	
gac agc aat gct gtt tca ctg gtt atg cgg cgg atc cga aaa gaa aac	1344
Asp Ser Asn Ala Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn	
435 440 445	
gtt gat gcc ggt gaa cgt gca aaa cag gct cta gcg ttc gaa cgc act	1392
Val Asp Ala Gly Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr	
450 455 460	
gat ttc gac cag gtt cgt tca ctc atg gaa aat agc gat cgc tgc cag	1440
Asp Phe Asp Gln Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln	
465 470 475 480	
gat ata cgt aat ctg gca ttt ctg ggg att gct tat aac acc ctg tta	1488
Asp Ile Arg Asn Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu	
485 490 495	
cgt ata gcc gaa att gcc agg atc agg gtt aaa gat atc tca cgt act	1536
Arg Ile Ala Glu Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr	
500 505 510	
gac ggt ggg aga atg tta atc cat att ggc aga acg aaa acg ctg gtt	1584
Asp Gly Gly Arg Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val	
515 520 525	
agc acc gca ggt gta gag aag gca ctt agc ctg ggg gta act aaa ctg	1632
Ser Thr Ala Gly Val Glu Lys Ala Leu Ser Leu Gly Val Thr Lys Leu	
530 535 540	
gtc gag cga tgg att tcc gtc tct ggt gta gct gat gat ccg aat aac	1680
Val Glu Arg Trp Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn	
545 550 555 560	
tac ctg ttt tgc cgg gtc aga aaa aat ggt gtt gcc gcg cca tct gcc	1728
Tyr Leu Phe Cys Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala	
565 570 575	

```

acc agc cag cta tca act cgc gcc ctg gaa ggg att ttt gaa gca act 1776
Thr Ser Gln Leu Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr
580 585 590

cat cga ttg att tac ggc gct aag gat gac tct ggt cag aga tac ctg 1824
His Arg Leu Ile Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu
595 600 605

gcc tgg tct gga cac agt gcc cgt gtc gga gcc gcg cga gat atg gcc 1872
Ala Trp Ser Gly His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala
610 615 620

cgc gct gga gtt tca ata ccg gag atc atg caa gct ggt ggc tgg acc 1920
Arg Ala Gly Val Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr
625 630 635 640

aat gta aat att gtc atg aac tat atc cgt aac ctg gat agt gaa aca 1968
Asn Val Asn Ile Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr
645 650 655

ggg gca atg gtg cgc ctg ctg gaa gat ggc gat ggt atc gaa ggt cgt 2016
Gly Ala Met Val Arg Leu Leu Glu Asp Gly Asp Gly Ile Glu Gly Arg
660 665 670

ggg agc gct tgg cgt cac ccg cag ttc ggt ggt taataa 2055
Gly Ser Ala Trp Arg His Pro Gln Phe Gly Gly
675 680

```

<210> 21

<211> 683

<212> PRT

<213> Artificial Sequence

<223> Description of Artificial Sequence: DNA sequence
coding for a fusion protein VP22creStrepTag

<400> 21

```

Met Thr Ser Arg Arg Ser Val Lys Ser Gly Pro Arg Glu Val Pro Arg
1 5 10 15

```

```

Asp Glu Tyr Glu Asp Leu Tyr Tyr Thr Pro Ser Ser Gly Met Ala Ser
20 25 30

```

```

Pro Asp Ser Pro Pro Asp Thr Ser Arg Arg Gly Ala Leu Gln Thr Arg
35 40 45

```

```

Ser Arg Gln Arg Gly Glu Val Arg Phe Val Gln Tyr Asp Glu Ser Asp
50 55 60

```

```

Tyr Ala Leu Tyr Gly Gly Ser Ser Ser Glu Asp Asp Glu His Pro Glu
65 70 75 80

```

```

Val Pro Arg Thr Arg Arg Pro Val Ser Gly Ala Val Leu Ser Gly Pro
85 90 95

```

```

Gly Pro Ala Arg Ala Pro Pro Pro Pro Ala Gly Ser Gly Gly Ala Gly
100 105 110

```

```

Arg Thr Pro Thr Thr Ala Pro Arg Ala Pro Arg Thr Gln Arg Val Ala
115 120 125

```

```

Ser Lys Ala Pro Ala Ala Pro Ala Ala Glu Thr Thr Arg Gly Arg Lys
130 135 140

```

Ser Ala Gln Pro Glu Ser Ala Ala Leu Pro Asp Ala Pro Ala Ser Thr
 145 150 155 160
 Ala Pro Thr Arg Ser Lys Thr Pro Ala Gln Gly Leu Ala Arg Lys Leu
 165 170 175
 His Phe Ser Thr Ala Pro Pro Asn Pro Asp Ala Pro Trp Thr Pro Arg
 180 185 190
 Val Ala Gly Phe Asn Lys Arg Val Phe Cys Ala Ala Val Gly Arg Leu
 195 200 205
 Ala Ala Met His Ala Arg Met Ala Ala Val Gln Leu Trp Asp Met Ser
 210 215 220
 Arg Pro Arg Thr Asp Glu Asp Leu Asn Glu Leu Leu Gly Ile Thr Thr
 225 230 235 240
 Ile Arg Val Thr Val Cys Glu Gly Lys Asn Leu Leu Gln Arg Ala Asn
 245 250 255
 Glu Leu Val Asn Pro Asp Val Val Gln Asp Val Asp Ala Ala Thr Ala
 260 265 270
 Thr Arg Gly Arg Ser Ala Ala Ser Arg Pro Thr Glu Arg Pro Arg Ala
 275 280 285
 Pro Ala Arg Ser Ala Ser Arg Pro Arg Arg Pro Val Glu Gly Thr Glu
 290 295 300
 Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Gln His
 305 310 315 320
 Ser Gly Gly Arg Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro
 325 330 335
 Ala Leu Pro Val Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met
 340 345 350
 Asp Met Phe Arg Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met
 355 360 365
 Leu Leu Ser Val Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn
 370 375 380
 Arg Lys Trp Phe Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu
 385 390 395 400
 Tyr Leu Gln Ala Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu
 405 410 415
 Gly Gln Leu Asn Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser
 420 425 430
 Asp Ser Asn Ala Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn
 435 440 445
 Val Asp Ala Gly Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr
 450 455 460
 Asp Phe Asp Gln Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln
 465 470 475 480

60

Asp Ile Arg Asn Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu
 485 490 495
 Arg Ile Ala Glu Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr
 500 505 510
 Asp Gly Gly Arg Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val
 515 520 525
 Ser Thr Ala Gly Val Glu Lys Ala Leu Ser Leu Gly Val Thr Lys Leu
 530 535 540
 Val Glu Arg Trp Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn
 545 550 555 560
 Tyr Leu Phe Cys Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala
 565 570 575
 Thr Ser Gln Leu Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr
 580 585 590
 His Arg Leu Ile Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu
 595 600 605
 Ala Trp Ser Gly His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala
 610 615 620
 Arg Ala Gly Val Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr
 625 630 635 640
 Asn Val Asn Ile Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr
 645 650 655
 Gly Ala Met Val Arg Leu Leu Glu Asp Gly Asp Gly Ile Glu Gly Arg
 660 665 670
 Gly Ser Ala Trp Arg His Pro Gln Phe Gly Gly
 675 680

<210> 22

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:synthetic TAT protein.

<400> 22

Ala Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 1 5 10

<210> 23

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic TAT protein

<400> 23

Tyr Ala Arg Lys Ala Arg Arg Gln Ala Arg Arg
1 5 10

<210> 24

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic TAT
protein

<400> 24

Tyr Ala Arg Ala Ala Ala Arg Gln Ala Arg Ala
1 5 10

<210> 25

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic TAT
protein

<400> 25

Tyr Ala Arg Ala Ala Arg Arg Ala Ala Arg Arg
1 5 10

<210> 26

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic TAT
protein

<400> 26

Tyr Ala Arg Ala Ala Arg Arg Ala Ala Arg Ala
1 5 10

<210> 27

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic TAT
protein

<400> 27

Tyr Ala Arg Arg Arg Arg Arg Arg Arg Arg
1 5 10

<210> 28

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: synthetic TAT protein

<400> 28

Tyr Ala Ala Ala Arg Arg Arg Arg Arg Arg
1 5 10

<210> 29

<211> 4960

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: vector pCMV-I-Cre-pA

<400> 29

```

aaacagtccg atgtacgggc cagatatagc cgttgacatt gattattgac tagttattaa 60
tagtaataca ttacgggggtc attagttcat agcccatata tggagttccg cgttacataa 120
cttacggtaa atggcccgcg tggctgacgg cccaacgacc cccgcccatt gacgtcaata 180
atgacgtatg ttcccatagt aacgccaata gggactttcc attgacgtca atgggtggac 240
tatttacggt aaactgcca cttggcagta catcaagtgt atcatatgcc aagtacgccc 300
cctattgacg tcaatgacgg taaatggccc gcctggcatt atgcccagta catgacctta 360
tgggactttc ctacttgga gtacatctac gtattagtca tcgctattac catggtgatg 420
cggttttggc agtacatcaa tgggctgga tagcggtttg actcacgggg atttccaagt 480
ctccacccca ttgacgtcaa tgggagtttg ttttggcacc aaaatcaacg ggactttcca 540
aaatgtcgta acaactccgc ccattgacg caaatgggcy gtaggcgtgt acggtgggag 600
gtctatataa gcagagctct ctggctaact agagaacca ctgcttactg gcttatcgaa 660
attaatacga ctactatag ggagacccaa gctgactcta gacttaatta agcgttggg 720
tgagtactcc ctctcaaaag cgggcatgac ttctgcgcta agattgtcag tttccaaaaa 780
cgaggaggat ttgatattca cctggcccgc ggtgatgcct ttgagggtgg ccgcgtccat 840
ctggtcagaa aagacaatct tttgtgtg acgcttgagg tgtggcaggc ttgagatctg 900
gccatacact tgagtgcac tgacatccac tttgcctttc tctccacagg tgtccactcc 960
cagggcgggc tcgaccatgc ccaagaagaa gaggaagggt tccaatttac tgaccgtaca 1020
ccaaaatttg cctgcattac cgttcgatgc aacgagtgat gaggttcgca agaacctgat 1080
ggacatgttc agggatcgcc aggcgttttc tgagcatacc tggaaaatgc ttctgtccgt 1140
ttgcccgtcg tggcgggcat ggtgcaagtt gaataaccgg aaatggtttc ccgcagaacc 1200
tgaagatgtt cgcgattatc ttctatatct tcaggcgcg ggtctggcag taaaaactat 1260
ccagcaacat ttgggcccgc taaacatgct tcacgtcgcg tccgggctgc cacgaccaag 1320
tgacagcaat gctgtttcac tggttatgcg cgggatccga aaagaaaacg ttgatgccgg 1380
tgaacgtgca aaacaggctc tagcgttcga acgcaactgat ttcgaccagg ttcgttcact 1440
catggaaaat agcgatcgct gccaggatat acgtaactctg gcatttctgg ggattgctta 1500
taacaccctg ttacgtatag ccgaaattgc caggatcagg gttaaagata tctcacgtac 1560
tgacgggtgg agaattgtaa tccatattgg cagaacgaaa acgctgggta gcaccgcagg 1620
tgtagagaag gcacttagcc tgggggtaac taaactggtc gagcgatgga tttccgtctc 1680
tggtgtagct gatgatccga ataactacct gttttgccgg gtcagaaaaa atggtgttgc 1740
cgcgccatct gccaccgccc agctatcaac tcgcgccctg gaagggattt ttgaagcaac 1800
tcacgtattg atttacggcg ctaaggatga ctctggtcag agatacctgg cctggtctgg 1860
acacagtgcc cgtgtcggag ccgcgcgaga tatggcccgc gctggagttt caataccgga 1920
gatcatgcaa gctggtggct ggaccaatgt aaatattgtc atgaactata tccgtaacct 1980
ggatagttaa acaggggcaa tgggtgcgct gctggaagat ggcgattagc cattaacgcg 2040
taaatgattg cagatccact agttctaggc ccgcgtcgac ctcgagatcc aggcgcggat 2100
caataaaaga tcattatttt caatagatct gtgtgttggt tttttgtgtg ccttggggga 2160
gggggaggcc agaatgaggc gcggccaagg gggaggggga ggccagaatg accttggggg 2220
agggggaggc cagaatgacc ttgggggagg gggaggccag aatgaggcgc gccccgggt 2280
accgagctcg aattcactgg ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt 2340
taccacaact aatgccttg cagcacatcc ccctttcgcc agctggcgta atagcaga 2400
ggccgcaccc gatcgccctt cccaacagtt gcgcagcctg aatggcgaat ggcgcctgat 2460
gcggtatttt ctccctacgc atctgtgcgg tatttcacac cgcataatgt gcactctcag 2520
tacaatctgc tctgatgccc catagttaag ccaagccccg caccogccaa caccgcgtga 2580

```



```

cgcgccctga cgggcttgtc tgctcccggc atccgcttac agacaagctg tgaccgtctc 2640
cgggagctgc atgtgtcaga gggtttcacc gtcacacccg aaacgcgcga gacgaaaggg 2700
cctcgtgata cgccatattt tataggttaa tgtcatgata ataattgggtt cttagacgtc 2760
aggtggcact ttccggggaa atgtgcgcgg aacccttatt tgtttatttt tctaaataca 2820
ttcaaatatg tatccgctca tgagacaata accctgataa atgcttcaat aatattgaaa 2880
aaggaagagt atgagtatto aacatttccg tgtcgccttt attccctttt ttgcggcatt 2940
ttgccttctt gtttttgctc acccagaaac gctggtgaaa gtaaaagatg ctgaagatca 3000
gttgggtgca cgagtgggtt acatcgaact ggatctcaac agcggtaaga tccttgagag 3060
ttttcgcccc gaagaacgtt ttccaatgat gagcactttt aaagtctctg tatgtggcgc 3120
ggtattatcc cgtattgacg ccgggcaaga gcaactcggg cgccgcatac actattctca 3180
gaatgacttg gttgagtact caccagtcac agaaaagcat cttacggatg gcatgacagt 3240
aagagaatta tgcagtgtcg ccataaccat gagtataaac actgcggcca acttacttct 3300
gacaacgata ggaggaccga aggagctaac cgcttttttg cacaacatgg gggatcatgt 3360
aactcgcctt gatcgttggg aaccggagct gaatgaagcc ataccaaagc acgagcgtga 3420
caccacgatg cctgtagcaa tggcaacaac gttgcgcaa ctattaactg gcgaactact 3480
tactctagct tcccggcaac aattaataga ctggatggag gcggataaag ttgcaggacc 3540
acttctgcgc tcggcccttc cggctggctg gtttattgct gataaatctg gagccgggtga 3600
gcgtgggtct cgcggtatca ttgcagcact ggggccagat ggtaagccct cccgtatcgt 3660
agttatctac acgacgggga gtcaggcaac tatggatgaa cgaaatagac agatcgctga 3720
gataggtgac tcactgatta agcattggta actgtcagac caagtttact catatatact 3780
ttagattgat ttaaaacttc atttttaatt taaaaggatc taggtgaaga tcctttttga 3840
taatctcatg accaaaatcc cttaacgtga gttttcgttc cactgagcgt cagaccccg 3900
agaaaagatc aaaggatctt cttgagatcc tttttttctg cgcgtaatct gctgcttgca 3960
aacaaaaaaa ccaccgtac cagcgggtgt ttgtttgccg gatcaagagc taccaactct 4020
ttttccgaag gtaactggct tcagcagagc gcagatacca aatactgtcc ttctagtgt 4080
gccgtagtta ggccaccact tcaagaactc tgtagcaccg cctacatacc tcgctctgct 4140
aatcctgtta ccagtggctg ctgccagtgg cgataagtcg tgtcttaccg ggttgactc 4200
aagacgatag ttaccggata aggcgcagcg gtcgggctga acggggggtt cgtgcacaca 4260
gcccagcttg gagcgaacga cctacaccga actgagatac ctacagcgtg agctatgaga 4320
aagcggccagc cttcccgaag ggagaaagc ggacaggtat ccggtaaagc gcagggtcgg 4380
aacaggagag cgcacgaggg agcttccagg gggaaacgcc tgggtatctt atagtctgt 4440
cgggtttcgc cacctctgac ttgagcgtcg atttttgta tgctcgtcag gggggcggag 4500
cctatggaaa aacgccagca acgcggcctt ttacgggtc ctggcctttt gctggccttt 4560
tgctcacatg ttctttcctg cgttatcccc tgattctgtg gataaccgta ttaccgcctt 4620
tgagttagct gataccgctc gccgcagcgg aacgaccgag cgcagcagat cagttagcga 4680
ggaagcggaa gagcgcccaa tacgcaaac ccctctcccc gcgcgttggc cgattcata 4740
atgcagctgg cagcagaggt ttcccagctg gaaagcgggc agtgagcgca acgcaattaa 4800
tgtgagttag ctactcatt aggcacccca ggctttacac tttatgcttc cggctcgtat 4860
gttggtgga attgtgagcg gataacaatt tcacacagga aacagctatg accatgatta 4920
cgccaagcta gcccgggcta gcttgcagtc ctgcagggtt 4960

```

<210> 30

<211> 7332

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: vector
pCMV-I-beta-pA

<400> 30

```

aaacagtcgg atgtacgggc cagatatacg cggtgacatt gattattgac tagttattaa 60
tagtaatacaa ttacggggtc attagttcat agcccatata tggagttccg cgttacataa 120
cttacggtaa atggccccgc tggtgacgg cccaacgacc cccgcccatt gacgtcaata 180
atgacgtatg ttcccatagt aacgccaata gggactttcc attgacgtca atgggtggac 240
tatttacggt aaactgccca cttggcagta catcaagtgt atcatatgcc aagtacgccc 300
cctattgacg tcaatgacgg taaatggccc gcctggcatt atgccagta catgacctta 360
tgggactttc ctacttgcca gtacatctac gtattagtca togtattac catgggtgatg 420
cggttttggc agtacatcaa tgggcgttga tagcggtttg actcacgggg atttccaagt 480
ctccaccaca ttgacgtcaa tgggagtttg ttttggcacc aaaatcaacg ggactttcca 540
aaatgtcgta acaactccgc ccattgacg caaatgggag gtaggcgtgt acgggtggag 600
gtctatataa gcagagctct ctggctaact agagaacca ctgcttactg gcttatcgaa 660
attaatacga ctactatag ggagacccaa gctgactcta gacttaatta agcgttgggg 720

```

tgagtactcc	ctctcaaaag	cgggcatgac	ttctgcgcta	agattgtcag	tttccaaaa	780
cgaggaggat	ttgatattca	cctggccgcg	ggtgatgcct	ttgaggggtg	ccgcgtccat	840
ctggtcagaa	aagacaatct	ttttgttgtc	aagcttgagg	tgtggcaggc	ttgagatctg	900
gccatacact	tgagtgcacat	tgacatccac	tttgcccttc	tctccacagg	tgctccactcc	960
cagggcgccg	gcaattcccg	gggatcgaaa	gagcctgcta	aagcaaaaaa	gaagtcacca	1020
tgtcggttac	tttgaccaac	aagaacgtga	ttttcggtgc	cggtctggga	ggcattggtc	1080
tggacaccag	caaggagctg	ctcaagcgcg	atcccgctgt	tttacaacgt	cgtagctggg	1140
aaaaccctgg	cgttacccaa	cttaatcgcc	ttgcagcaca	tcccccttc	gccagctggc	1200
gtaatagcga	agagggccgc	accgatcgcc	cttcccaaca	gttgcgcagc	ctgaatggcg	1260
aatggcgctt	tgccctgggtt	ccggcaccag	aagcgggtgc	ggaaagctgg	ctggagtgcg	1320
atcttccctg	ggccgatact	gtcgtcgctc	cctcaaaactg	gcagatgcac	ggttacgatg	1380
cgcccatcta	caccaacgta	acctatccca	ttacgggtcaa	tccgcccgtt	gttcccacgg	1440
agaatccgac	gggttggttac	tcgctcacat	ttaatgttga	tgaagctggg	ctacaggaag	1500
gccagacgcg	aattatTTTT	gatggcggtt	actcggcggt	tcactctgtg	tgcaacgggc	1560
gctgggtcgg	ttacggccag	gacagtcggt	tgccgtctga	atttgacctg	agcgcatttt	1620
tacgcgccgg	agaaaaccgc	ctcgcgggtg	tggtgctgcg	ttggagtgc	ggcagttatc	1680
tggaagatca	ggatatgtgg	cggaatgagc	gcattttccg	tgacgtctcg	ttgctgcata	1740
aaccgactac	acaaatcagc	gatttccatg	ttgccactcg	ctttaatgat	gatttcagcc	1800
gcgctgtact	ggaggctgaa	gttcagatgt	gcggcgagtt	gcgtgactac	ctacgggtaa	1860
cagtttcttt	atggcagggt	gaaacgcagg	tcgcagcgcg	caccgcgcct	ttcggcgctg	1920
aaattatcga	tgagcgtggt	ggttatgcgg	atcgcgtcac	actacgtctg	aacgtcgaaa	1980
acccgaaaact	gtggagcgcc	gaaatcccg	atctctatcg	tgcggtgggt	gaactgcaca	2040
ccgcccagcg	cacgctgatt	gaagcagaag	cctgcgatgt	cggtttccgc	gaggtgcgga	2100
ttgaaaatgg	tctgctgctg	ctgaacggca	agccgttgct	gattcgaggc	gttaaccgtc	2160
acgagcatca	tcctctgcat	ggtcaggtca	tggaatgagc	gacgatgggt	caggatatcc	2220
tgctgatgaa	gcagaacaac	tttaacgcgg	tgccgtgttc	gcattatccg	aaccatccgc	2280
tgtggtacac	gctgtgcgac	cgctacggcc	tgtatgtggt	ggatgaagcc	aatattgaaa	2340
cccacggcat	ggtgccaatg	aatcgtctga	ccgatgatcc	gcgctggcta	ccggcgatga	2400
gcgaacgcgt	aacgcgaatg	gtgcagcgcg	atcgtaatca	cccagagtgt	atcatctggt	2460
cgctggggaa	tgaatcaggc	cacggcgcta	atcacgacgc	gctgtatcgc	tggatcaaat	2520
ctgtcgatcc	ttcccgcccg	gtgcagtatg	aaggcgcgcc	agccgacacc	acggccaccg	2580
atattatttg	cccgatgtac	gcgcgcgtgg	atgaagacca	gcccttcccg	gctgtgcccga	2640
aatggtccat	caaaaaatgg	ctttcgctac	ctggagagac	gcgcccgcgt	atcctttgcg	2700
aatacgccca	cgcgatgggt	aacagttctg	gcggtttcgc	taaatactgg	caggcgtttc	2760
gtcagtatcc	ccgttttacag	ggcggttcgc	tctgggactg	ggtggatcag	tcgctgatta	2820
aatatgatga	aaacggcaac	ccgtggtcgg	cttacggcgg	tgattttggc	gatacgccga	2880
acgatcgcca	gttctgtatg	aacggctctg	tctttgcoga	ccgcacgcgg	catccagcgc	2940
tgacggaagc	aaaacaccag	cagcagtttt	tccagttccg	tttatccggg	caaaccatcg	3000
aagtgaccag	cgaataacctg	ttccgtcata	gcgataacga	gctcctgcac	tggatgggtg	3060
cgctggatgg	taagccgctg	gcaagcgggt	aagtgcctct	ggatgtcgct	ccacaaggtg	3120
aacagttgat	tgaactgcct	gaactaccgc	agccggagag	cgccgggcaa	ctctggctca	3180
cagtacgcgt	agtgaaccgc	aacgcgaccg	catggtcaga	agccggggcac	atcagcgctc	3240
ggcagcagtg	gcgtctggcg	gaaaacctca	gtgtgacgct	ccccgcgcgc	tcccacgccca	3300
tcccgcatct	gaccaccagc	gaaatggatt	tttgcatcga	gctgggtaat	aagcgttggc	3360
aatttaaccg	ccagtcaggc	tttctttcac	agatgtggat	tggcgataaa	aaacaactgc	3420
tgacgcgcgt	gcgcgatcag	ttcaaccgtg	caccgctgga	taacgacatt	ggcgtaagtg	3480
aagcgaccgc	cattgaccct	aacgcctggg	tcgaacgctg	gaaggcgggc	ggccattacc	3540
aggccgaagc	agcgtttgtg	cagtgcacgg	cagatacact	tgctgatgcg	gtgctgatta	3600
cgaccgctca	cgcggtggcag	catcagggga	aaaccttatt	tatcagccgg	aaaacctacc	3660
ggattgatgg	tagtgggtcaa	atggcgatta	ccgttgatgt	tgaagtggcg	agcgatacac	3720
cgcatccggc	gcggattggc	ctgaactgcc	agctggcgca	ggtagcagag	cgggtaaact	3780
ggctcggtat	agggccgcaa	gaaaactatc	ccgaccgcct	tactgccgcc	tgttttgacc	3840
gctgggatct	gccattgtca	gacatgtata	cccgttacgt	cttcccagagc	gaaaacgggtc	3900
tgcgctgcgg	gacgcgcgaa	ttgaattatg	gcccacacca	gtggcgcggc	gacttccagt	3960
tcaacatcag	ccgctacagt	caacagcaac	tgatggaaac	cagccatcgc	catctgctgc	4020
acgcggaaga	agggcacatgg	ctgaatatcg	acggtttcca	tatggggatt	ggtggcgacg	4080
actcctggag	cccgtcagta	tcggcggaat	tacagctgag	cgccgggtcgc	taccattacc	4140
agttgggtctg	gtgtcaaaaa	taataataac	cgggcaggcc	atgtctgccc	gtatttcgcg	4200
taaggaaatc	cattatgtac	tatttaaaaa	acacaaactt	ttggatgttc	ggttttattct	4260
ttttctttta	ctttttttatc	atggggagcct	acttcccgtt	tttcccagatt	tggtctagtg	4320
acatcaacca	tatcagcaaa	agtgatacgg	gtattatttt	tgccgctatt	tctctgttct	4380
cgctattatt	ccaaccgctg	tttggtctgc	tttctgacaa	actcggcctc	gactctaggg	4440
ggccgcgtcg	acctcgagat	ccaggcgcg	atcaataaaa	gatcattatt	ttcaatagat	4500
ctgtgtgttg	gtttttttgtg	tgccctgggg	gaagggggagg	ccagaatgag	gcgcggccaa	4560

```

gggggagggg gaggccagaa tgacctggg ggagggggag gccagaatga ccttggggga 4620
gggggagggc agaatgaggc ggcggcccg gtaccgagct cgaattcact ggccgtcgtt 4680
ttacaacgtc gtgactggga aaacctggc gttaccaac ttaatcgct tgcagcacat 4740
cccccttgc ccagctggcg taatagcgaa gaggcccgca ccgatcgccc ttcccaacag 4800
ttgcgagccc tgaatggcga atggcgctg atgcggtatt ttctccttac gcatctgtgc 4860
ggtatttcac accgcatatg gtgcaactct agtacaact gctctgatgc cgcatagtta 4920
agccagcccc gacacccgccc aacacccgct gacgcgccct gacgggcttg tctgctccc 4980
gcattccgtt acagacaagc tgtgaccgtc tccgggagct gcatgtgtca gaggttttca 5040
ccgtcatcac cgaaacgcgc gagacgaaag ggctcgtga tacgcctatt tttataggtt 5100
aatgtcatga taataatggt ttcttagacg tcaggtggca cttttcggg aaatgtgcgc 5160
ggaaccccta tttgtttatt tttctaaata cattcaaata tgtatccgct catgagacaa 5220
taaccctgat aaatgcttca ataatttga aaaaggaaga gtatgagtat tcaacatttc 5280
cgtgtcgccc ttattccctt ttttgccgca ttttgccctc ctgtttttgc tcaccagaa 5340
acgctggtga aagtaaaaga tgcggaagat cagttgggtg cacgagtggt ttacatcgaa 5400
ctggtatctc acagcggtaa gatccttgag agttttcgcc ccgaagaacg ttttccaatg 5460
atgagcactt ttaaagttct gctatgtggc gcggtattat cccgtattga cgccgggcaa 5520
gagcaactcg gtgcgcgcat acactattct cagaatgact tgggtgagta ctacacagtc 5580
acagaaaagc atcttacgga tggcatgaca gtaagagaat tatgcagtgc tgccataacc 5640
atgagtgata acactgcgc caacttaact ctgacaacga tcggaggacc gaaggagcta 5700
accgcttttt tgcacaacat gggggatcat gtaactcgcc ttgatcgttg ggaaccggag 5760
ctgaatgaag ccataccaaa cgacgagcgt gacaccacga tgcctgtagc aatggcaaca 5820
acgttgcgca aactattaac tggcgaacta cttactctag cttcccgga acaattaata 5880
gactggatgg aggcggataa agttgcagga ccacttctgc gctcgccct tccggctggc 5940
tgggtttatt ctgataaatc tggagccggt gagcgtgggt ctgcggtat cattgcagca 6000
ctggggccag atggtaagcc ctcccgatc tagttatct acacgacggg gactcaggca 6060
actatggatg aacgaaatag acagatcgct gagataggtg cctcactgat taagcattgg 6120
taactgtcag accaagttta ctcatatata ctttagattg atttaaaact tcatttttaa 6180
tttaaaagga tctaggtgaa gatccttttt gataatctca tgacaaaaat cccttaacgt 6240
gagttttcgt tccactgagc gtcagacccc gtagaaaaga tcaaaggatc ttcttgagat 6300
ccttttttgc tgcgcgtaac ctgctgcttg caaacaacaa aaccaccgct accagcggtg 6360
gtttgtttgc cggatcaaga gctaccaact ctttttccga aggtaactgg ctccagcaga 6420
gcgcagatac caaataactgt ccttctagt tagccgtagt taggccacca cttcaagaac 6480
tctgtagcac cgctacata cctcgctctg ctaatcctgt taccagtggc tgctgccagt 6540
ggcgataagt cgtgtcttac cgggttgac tcaagacgat agttaccgga taaggcgag 6600
cggtcgggct gaacgggggg ttctgtgcaca cagcccgct tggagcgaac gacctacacc 6660
gaactgagat acctacagcg tgagctatga gaaagcgcca cgcttcccga agggagaaag 6720
gcggacaggt atccggttaag cggcagggtc ggaacaggag agcgcacgag ggagcttcca 6780
gggggaaacg cctggtatct ttatagtcct gtcgggtttc gccacctctg acttgagcgt 6840
cgatttttgc gatgctcgtc aggggggcgg agcctatgga aaaacgccag caacgcggcc 6900
tttttacggg tctggcctt ttgctggcct tttgctcaca tgttctttcc tgcgttatcc 6960
cctgattctg tggataaccg tattaccgcc tttgagttag ctgataaccg tcgccgcagc 7020
cgaacgaccg agcgcagcga gtcagtgage gaggaagcgg aagagcgccc aatacgcaaa 7080
ccgcctctcc ccgcgcgttg gccgattcat taatgcagct ggcacgacag gtttccgcac 7140
tggaaagcgg cgagtgagec caacgcaatt aatgtgagtt agctcactca ttaggcaccc 7200
caggctttac actttatgct tccggetcgt atgttggtg gaattgtgag cggataacaa 7260
tttcacacag gaaacagcta tgaccatgat tacgccaagc tagcccgggc tagcttgcat 7320
gcctgcaggt tt 7332

```

<210> 31

<211> 72

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<400> 31

```

atgccatggg ctacggccgc aagaagcgcc gccaacgccg ccgcgccatg tccaatttac 60
tgaccgtaca cc 72

```

<210> 32

<211> 25

<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 32
tttcggatcc gccgcataac cagtg 25

<210> 33
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 33
tatatctaga ccatgggcta cggccgcaag aagc 34

<210> 34
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 34
gctaccacga ccttcgatac catcgccatc ttccagcagg cgc 43

<210> 35
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 35
taactagcgg ccgcatgtcc aatttactga ccgtacac 38

<210> 36
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

<400> 36
tcgagcggcc gccatcgcca tcttcagca ggcg 34

<210> 37
<211> 32
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<400> 37

tatatctaga catatgacct ctgccgctc cg

32

<210> 38

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<400> 38

ttccgaagac gacgaaacac c

21

<210> 39

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<400> 39

tatattcgaa gcttattaac caccgaactg cg

32

<210> 40

<211> 4847

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: vector
pGK-cre-pA

<400> 40

aggtggcact tttcggggaa atgtgcgcgg aacccttatt tgtttatatt tctaaataca 60
ttcaaataatg tatccgctca tgagacaata accctgataa atgcttcaat aatattgaaa 120
aaggaagagt atgagtattc aacatttcgg tgtcgccctt attccctttt ttgcggcatt 180
ttgccttcct gtttttgctc acccagaaac gctggtgaaa gtaaaagatg ctgaagatca 240
gttggtgca cgagtgggtt acatcgaaact ggatctcaac agcggtaaga tccttgagag 300
ttttcgcccc gaagaacgtt ttccaatgat gagcactttt aaagtctctg tatgtggcgc 360
ggtattatcc cgtattgacg ccgggcaaga gcaactcggc cgccgcatac actattctca 420
gaatgacttg gttgagtact caccagtcac agaaaagcat cttacggatg gcatgacagt 480
aagagaatta tgcagtgtcg ccataaccat gagtataac actgcggcca acttacttct 540
gacaacgatc ggaggaccga aggagctaac cgcttttttg cacaacatgg gggatcatgt 600
aactcgcctt gatcgttggg aaccggagct gaatgaagcc ataccaaacg acgagcgtga 660
caccacgatg cctgtagcaa tggcaacaac gttgcgcaaa ctattaactg gcgaactact 720
tactctagct tcccggcaac aattaataga ctggatggag gcggataaag ttgcaggacc 780
actctgcgc tcggcccttc cggctggctg gtttattgct gataaatctg gagccggtga 840
gcgtgggtct cgcggtatca ttgcagcact ggggccagat ggtaagccct cccgtatcgt 900
agttatctac acgacgggga gtcaggcaac tatggatgaa cgaaatagac agatcgctga 960
gataggtgcc tcaactgatta agcatttgta actgtcagac caagtttact catatatact 1020
ttagattgat ttaaaacttc atttttaatt taaaaggatc taggtgaaga tcctttttga 1080
taatctcatg accaaaatcc cttaacgtga gttttcgtc cactgagcgt cagaccccg 1140
agaaaagatc aaaggatcct cttgagatcc ttttttctg cgcgtaatct gctgcttgca 1200
aacaaaaaaa ccaccgctac cagcgggtgt tgtttgccc gatcaagagc taccaactct 1260
ttttccgaag gtaactggct tcagcagagc gcagatacca aatactgtcc ttctagtgtg 1320
gccgtagtta ggccaccact tcaagaactc tgtagcaccg cctacatacc tcgctctgct 1380
aatcctgtta ccagtggctg ctgccagtgg cgataagtgc tgtcttaccg ggttggaactc 1440

```

aagacgatag ttaccggata aggcgcagcg gtcgggctga acgggggggtt cgtgcacaca 1500
gccagcttgg gagcgaacga cctacaccga actgagatac ctacagcgtg agctatgaga 1560
aagcgccacg cttcccgaag ggagaaaggc ggacaggtat ccggtaaagc gcagggtcgg 1620
aacaggagag cgcacgaggg agcttccagg gggaaacgcc tggatatctt atagtctgt 1680
cgggtttcgc caccctctgac ttgagcgtcg atttttgtga tgctcgtcag gggggcggag 1740
cctatggaaa aacgccagca acgcggcctt tttacggttc ctggcctttt gctggccttt 1800
tgctcacatg ttctttcctg cgttatcccc tgattctgtg gataaccgta ttaccgcctt 1860
tgagttagct gataccgctc gccgcagccg aacgaccgag cgcagcgagt cagttagcga 1920
ggaagcgga gaggcggcaa tacgcaaacc gcctctcccc gcgcgttggc cgattcatta 1980
atgcagctgg cagcagaggt ttcccactg gaaagcgggc agtgagcgca acgcaattaa 2040
tgtgagttag ctactcatt aggcacccca ggctttacac tttatgcttc cggctcgtat 2100
gttgtgtgga attgtgagcg gataacaatt tcacacagga aacagctatg accatgatta 2160
cgccaagcgc gcaattaaac ctactaaag ggaacaaaag ctgggtaccg ggccccctt 2220
cgaggtcgac ggtatcgata agcttgatat cgaattctac cgggtagggg aggcgctttt 2280
cccaaggcag tctggagcat gcgctttagc agccccgctg gcacttggcg ctacacaagt 2340
ggcctctggc ctgcacaca ttccacatcc accggtagcg ccaaccggtc ccgttctttg 2400
gtggccccct cgcgccactt ctactcctcc cctagttagg aagtttcccc cagcaagctc 2460
gcgtcgtgca ggacgtgaca aatggaagta gcacgtctca ctagtctcgt gcagatggac 2520
agcaccgctg agcaatggaa gcgggtaggc ctttggggca gcggccaata gcagctttgt 2580
tccttcgctt tctgggctca gaggctggga aggggtgggt ccggggggcg gctcaggggc 2640
gggctcaggg gcggggcggc gcccgaaagt cctcccgagg cccggcattc tgcacgcttc 2700
aaaagcgcac gtctgcccgc ctgttctcct cttcctcatc tccgggcctt tgcacctgca 2760
gctcgaggtc gaccatgccc aagaagaaga ggaaggtgtc caatttactg accgtacacc 2820
aaaatttgcc tgtttcactg gttatgcggc ggatcgcaag ggttcgcaag aacctgatg 2880
acatgttcag ggatcgccag gcgttttctg agcatacctg gaaaatgctt ctgtccgttt 2940
gccggtcgtg ggcgccatgg tgcaagttga ataaccgga atggtttccc gcagaacctg 3000
aagatgttcg cgattatctt ctatatcttc aggcgcgcgg tctggcagta aaaactatcc 3060
agcaacattt gggccagcta aacatgcttc atcgtcgttc cgggctgcca cgaccaagt 3120
acagcaatgc tgtttcactg gttatgcggc ggatccgaaa agaaaacgtt gatgccgtg 3180
aacgtgcaaa acaggctcta gcgttcgaac gcactgattt cgaccaggtt cgttctactc 3240
tggaataatag cgatcgctgc caggatatac gtaatctggc atttctgggg attgcttata 3300
acacctgtt acgtatagcc gaaattgccg ggatcagggt taaagatac tcacgtactg 3360
acgggtgggag aatgttaatc catattggca gaacgaaaac gctggttagc accgcaggtg 3420
tagagaaggc acttagcctg ggggtaacta aactggtcga gcgatggatt tccgtctctg 3480
gtgtagctga tgatccgaat aactacctgt tttgccgggt cagaaaaaat ggtgttgccg 3540
cgccatctgc caccagccag ctatcaactc gcgccctgga agggattttt gaagcaactc 3600
atcgattgat ttaccggcgt aaggatgact ctggtcagag atacctggcc tggctcggac 3660
acagtgcccg tgtcggagcc gcgcgagata tggcccgcg tggagtcca ataccggaga 3720
tcagtcaagc tgggtgctgg accaatgtaa atattgtcat gaactatata cgtaacctgg 3780
atagtgaatg aggggcaatg gtgcgcctgc tggaaagtgg cgattagcca ttaacgcgta 3840
aatgattgca gatccactag ttctagagct cgctgatcag cctcgactgt gccttctagt 3900
tgccagccat ctgttgtttg cccctcccc gtgccttcc tgcacctgga aggtgccact 3960
cccactgtcc tttcctaata aaatgaggaa attgcatcgc attgtctgag taggtgtcat 4020
tctattctgg ggggtggggc agcaaggggg aggattggga agacaatagc 4080
aggcatgctg gggatgcggt gggctctatg gcttctgagn nngaaagaac cagctggggc 4140
tcgagatcca ctagttctag cctcgaggct agagcgcccg ccacgcggt ggagctccaa 4200
ttcgccctat agtgagtcgt attacgcgcg ctcactggcc gtcgttttac aacgtcgtga 4260
ctgggaaaac cctggcggtta cccaacttaa tcgccttgca gcacatcccc ctttcgccag 4320
ctggcgtaat agcgaagagg cccgcaccga tgcgccctcc caacagttgc gcagcctgaa 4380
tgcgcaatgg gacgcgccct gttagcggcg attaagcgcg gcgggtgtgg tggttacgcg 4440
cagcgtgacc gctacacttg ccagcgccct agcgcccgct cctttcgctt tottcccttc 4500
ctttctcgcc acgttcgccc gctttcccc tcaagctcta aatcgggggc tcccttttag 4560
gttccgattt agtgctttac ggcacctega ccccaaaaaa cttgattagg gtgatggttc 4620
acgtatgtgg ccacgcctt gatagacggt ttttcgccc ttgacgttgg agtccagctt 4680
ctttaatagt ggactcttgt tccaaactgg aacaacactc aacctatct cggctctattc 4740
ttttgattta taagggattt tgccgatttc ggccatttgg ttaaaaaatg agctgattta 4800
acaaaaattt aacgcgaatt ttaacaaaat attaacgctt acaattt 4847

```

<210> 41

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<400> 41

catctccggg cctttcgacc tg

22

<210> 42

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

<400> 42

gcgatcggtg cgggcctett c

21

Claims

1. Use of a fusion protein comprising
 - (a) a site-specific DNA recombinase domain and
 - (b) a protein transduction domain (PTD)for preparing an agent for inducing target gene alterations in a living organism or cell culture, wherein said living organism carries at least one or more recognition sites for said site-specific DNA recombinase integrated in an endogenous gene.
2. The use of claim 1, wherein the PTD is not derived from Antennapedia and preferably is a PTD derived from the VP22 protein of HSV or from the TAT protein of HIV.
3. Use of a fusion protein comprising
 - (a) a site-specific DNA recombinase domain and
 - (b) a protein transduction domain (PTD) being not derived from Antennapedia and preferably being derived from the VP22 protein of HSV or from the TAT protein of HIVfor preparing an agent for inducing target gene alterations in a living organism or cell culture, wherein said living organism carries at least one or more recognition sites for said site-specific DNA recombinase integrated in its genome.
4. The use of claim 3, wherein the recognition sites for said site specific recombinase is present within an endogenous gene or a transgene.
5. The use of any one of claims 2 to 4, wherein the TAT protein comprises
 - (i) the amino acid sequence YGRKKRRQRRR (SEQ ID NO: 10) or a mutant thereof including
 - (ii) peptides having the amino sequences

AGRKKRRQRRR (SEQ ID NO:22)

YARKARRQARR (SEQ ID NO:23)

YARAAARQARA (SEQ ID NO:24)

YARAARRAARR (SEQ ID NO:25)

YARAARRAARA (SEQ ID NO:26)

YARRRRRRRRR (SEQ ID NO:27)

YAAARRRRRRR (SEQ ID NO:28);

preferably the TAT protein consists of one of the sequences shown in (i) or (ii) above.

6. The use of any one of claims 2 to 4, wherein the VP22 protein comprises the amino acid 16-157 of SEQ ID NO:14.

7. The use of any one of claims 1 to 6, wherein the site-specific DNA recombinase domain is selected from a recombinase protein derived from Cre, Flp, ϕ C31 recombinase, and R recombinase and preferably is Cre having amino acids 15 to 357 of SEQ ID NO: 2 or Flpe having amino acids 15 to 437 of SEQ ID NO: 4.

8. The use of any one of claims 1 to 7, wherein the protein transduction domain is fused to the N-terminal of the site-specific DNA recombinase domain.

9. The use of any one of claims 1 to 8, wherein the protein transduction domain is fused to the site-specific DNA recombinase domain through a direct chemical bond or through a linker molecule.

10. The use of any one of claim 9, wherein the linker molecule is a short peptide having 1 to 20, preferably 1 to 10 amino acid residues.


11. The use of any one of claims 1 to 10, wherein said fusion protein further comprises additional functional sequences.
12. The use of claim 1, wherein the fusion protein has the sequence shown in SEQ ID NOs: 2, 4, 6 or 8.
13. The use of any one of claims 1 to 12, wherein the living organism is a vertebrate, preferably a rodent or a fish.
14. A method for inducing gene alterations in a living organism which comprises administering to said living organism, a fusion protein comprising a site-specific DNA recombinase domain and a protein transduction domain as defined in claims 1 to 12, wherein said living organism carries at least one or more recognition sites for said site-specific DNA recombinase integrated in its genome.
15. A fusion protein comprising
 - (a) a site-specific DNA recombinase domain as defined in claims 2 to 9 and
 - (b) a protein transduction domain (PTD) as defined in claims 2 to 9provided that when (a) is the wild-type Flp or Cre then (b) is not the full length VP22 protein of HSV.
16. The fusion of claim 15, wherein the (PTD) is derived from the TAT protein of HIV.
17. A DNA sequence coding for the fusion protein of claim 15 or 16, said DNA sequence preferably comprising the sequence shown in SEQ ID NOs: 1, 3, 5, 7, 9, 11, 13, 18 and/or 20.
18. A vector comprising the DNA sequence of claim 17.


19. A host cell transformed with the vector of claim 18 and/or comprising the DNA of claim 17.


20. A method for producing the fusion protein of claim 15 which comprises culturing the transformed host cell of claim 19 and isolating the fusion protein.

21. An injectable composition comprising the fusion protein as defined in claims 1 to 12 or 15 to 16.

Fig. 1





**Figure 3**





Figure 4

Fig. 5







Figure 6

Fig. 7






Figure 8





Figure 9

Fig. 10






Figure 11